



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113054

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M1317-01	R-A	1	100.02	0.00	02/06/2021	10:15
2	M1317-01DUP	R-ADUP	1	100.03	0.00	02/06/2021	10:22
3	M1317-03	R-B	1	100.01	0.00	02/06/2021	10:30
4	M1317-05	R-C	1	100.04	0.00	02/06/2021	10:38
5	M1331-01	ETGI-351-360	1	100.05	0.00	02/06/2021	10:45
6	M1332-01	TR-05-020521	1	100.02	0.00	02/06/2021	10:52

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF2621 WorkList ID : 146200 Department : Wet-Chemistry Date : 02-06-2021 08:46:49

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/04/2021	Solid	M1317-01	Paint Filter	Cool 4 deg C	PSEG03	I32	R-A	02/04/2021	9095B
02/04/2021	Solid	M1317-03	Paint Filter	Cool 4 deg C	PSEG03	I32	R-B	02/04/2021	9095B
02/04/2021	Solid	M1317-05	Paint Filter	Cool 4 deg C	PSEG03	I32	R-C	02/04/2021	9095B
02/05/2021	Solid	M1331-01	Paint Filter	Cool 4 deg C	PSEG03	I41	ETGI-351-360	02/05/2021	9095B
02/05/2021	Solid	M1332-01	Paint Filter	Cool 4 deg C	PSEG05	I33	TR-05-020521	02/05/2021	9095B

Date/Time 02/06/21 10:00
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)

Date/Time 02/06/21 10:55
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)