



PERCENT SOLID

Supervisor: apatel
Analyst: Alexander
Date: 2/12/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 12:25
In Date: 02/11/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 105
Time OUT: 09:05
Out Date: 02/12/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB113092

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M1370-01	DBGP6	1	1.00	2.00	2.00	100.0	
M1370-02	DBGT5	2	1.17	9.82	7.43	72.4	
M1370-03	DBGX9	3	1.16	9.61	8.33	84.9	
M1370-04	DBGY0	4	1.14	9.68	8.48	85.9	
M1370-05	DBGY1	5	1.16	9.9	8.6	85.1	
M1370-06	DBGY2	6	1.15	9.64	4.85	43.6	
M1370-07	DBGY3	7	1.16	9.59	7.88	79.7	
M1370-08	DBGY4	8	1.14	9.57	7.67	77.5	
M1370-09	DBGY5	9	1.16	9.93	8.23	80.6	
M1370-10	DBGY6	10	1.15	9.73	8.43	84.8	
M1370-11	DBGY7	11	1.13	9.7	8.51	86.1	
M1370-12	DBGY8	12	1.13	9.7	8.34	84.1	
M1370-13	DBGY9	13	1.16	9.51	8.36	86.2	
M1370-14	DBGZ0	14	1.16	9.76	8.21	82.0	
M1370-15	DBGZ1	15	1.16	9.91	8.84	87.8	
M1370-16	DBGZ2	16	1.15	9.79	8.91	89.8	
M1370-17	DBGZ4	17	1.15	9.77	8.22	82.0	
M1370-18	DBGZ6	18	1.13	9.92	8.83	87.6	
M1370-19	DBGZ7	19	1.14	9.55	7.28	73.0	
M1370-20	DBGZ8	20	1.15	9.57	8.82	91.1	
M1370-21	DBGZ8MS	21	1.15	9.57	8.82	91.1	
M1370-22	DBGZ8MSD	22	1.15	9.57	8.82	91.1	
M1370-23	DBH00	23	1.15	9.71	7.72	76.8	
M1370-24	VHBLK01	24	1.00	2.00	2.00	100.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$