



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113129

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M1400-01	BIN-2	1	100.03	10.00	02/15/2021	09:45
2	M1400-01DUP	BIN-2DUP	1	100.02	9.00	02/15/2021	09:52
3	M1402-01	RO-N9994	1	100.05	0.00	02/15/2021	10:00
4	M1402-03	RO-RBR-200058	1	100.02	2.00	02/15/2021	10:10
5	M1403-01	72-11939	1	100.01	0.00	02/15/2021	10:18

WORKLIST(Hardcopy Internal Chain)

LB 113129

WorkList Name : PF21521 WorkList ID : 146384 Department : Wet-Chemistry Date : 02-15-2021 09:31:47

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/12/2021	Solid	M1400-01	Paint Filter	Cool 4 deg C	PSEG03	H12	BIN-2	02/12/2021	9095B
02/12/2021	Solid	M1402-01	Paint Filter	Cool 4 deg C	PSEG03	H12	RO-N9994	02/12/2021	9095B
02/12/2021	Solid	M1402-03	Paint Filter	Cool 4 deg C	PSEG03	H12	RO-RBR-200058	02/12/2021	9095B
02/12/2021	Solid	M1403-01	Paint Filter	Cool 4 deg C	PSEG03	H11	72-11939	02/12/2021	9095B

Date/Time 02/15/21 09:35
 Received by: KS (Wehner)
 Relinquished by: RJ C Felt (106)

Date/Time 02/15/21 10:25
 Received by: RJ C Felt (106)
 Relinquished by: KS (Wehner)