



PERCENT SOLID

Supervisor: apatel
Analyst: Alexander
Date: 2/16/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 02/15/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 09:45
Out Date: 02/16/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB113145

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M1410-01	MDBGP9	1	1.00	2.00	2.00	100.0	PE sample
M1410-02	MDBGY9	2	1.15	9.51	8.6	89.1	828
M1410-03	MDBGZ0	3	1.15	9.95	8.51	83.6	
M1410-04	MDBGZ1	4	1.15	9.64	8.54	87.0	
M1410-05	MDBGZ2	5	1.17	9.51	8.33	85.9	
M1410-06	MDBGZ3	6	1.19	9.63	7.97	80.3	
M1410-07	MDBGZ4	7	1.17	9.91	8.35	82.2	
M1410-08	MDBGZ5	8	1.18	9.77	8.3	82.9	
M1410-09	MDBGZ6	9	1.17	9.89	8.8	87.5	
M1410-10	MDBGZ7	10	1.16	9.63	7.42	73.9	
M1410-11	MDBGZ8	11	1.17	9.51	8.35	86.1	
M1410-12	MDBGZ8D	12	1.17	9.51	8.35	86.1	
M1410-13	MDBGZ8S	13	1.17	9.51	8.35	86.1	
M1410-14	MDBGZ9	14	1.17	9.8	8.45	84.4	
M1410-15	MDBH00	15	1.16	9.59	7.35	73.4	
M1410-16	MDBH01	16	1.16	9.51	8.39	86.6	
M1410-17	MDBH02	17	1.16	9.82	8.58	85.7	
M1410-18	MDBH08	18	1.16	9.8	7.76	76.4	
M1410-19	MDBH09	19	1.16	9.55	8.1	82.7	
M1410-20	MDBH10	20	1.15	9.97	7.95	77.1	
M1410-21	MDBH11	21	1.16	9.51	7.33	73.9	
M1410-22	MDBH14	22	1.15	9.86	8.55	85.0	
M1410-23	MDBH15	23	1.17	9.94	8.61	84.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$