



Analytical Summary Report

Analysis Method: 9045D

Analyst By : Alexander

Parameter: Corrosivity

Supervisor Review By : apatel

Run Number: LB113179

Slope : 99.1

BalanceID: WC SC-4

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W2718
buffer solution pH 7 yellow	W2627
PH 10.01 BUFFER,COLOR CD 475ML	W2633
buffer solution pH 7 yellow	W2719
Buffer Solution, PH2 (500ml)	W2592
Buffer Solution, PH12 (500ml)	W2616

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.5	4.01	02/17/2021	16:03
2	CAL2	1	Water	NA	NA	20.5	7.02	02/17/2021	16:05
3	CAL3	1	Water	NA	NA	20.5	10.03	02/17/2021	16:06
4	ICV	1	Water	NA	NA	20.5	6.99	02/17/2021	16:09
5	CCV1	1	Water	NA	NA	20.4	2.02	02/17/2021	16:09
6	M1434-02	1	Solid	20.02	20	20.1	9.64	02/17/2021	16:26
7	M1436-01	1	Solid	20.05	20	20.3	8.27	02/17/2021	16:29
8	M1436-01DUP	1	Solid	20.06	20	20.3	8.27	02/17/2021	16:32
9	M1436-03	1	Solid	20.06	20	20.3	7.31	02/17/2021	16:35
10	M1437-01	1	Solid	20.03	20	19.9	7.92	02/17/2021	16:38
11	M1437-03	1	Solid	20.00	20	19.4	4.45	02/17/2021	16:42
12	CCV2	1	Water	NA	NA	20.4	12.02	02/17/2021	17:01