



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113198

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M1434-02	SAND-SOIL-PILE	1	100.03	0.00	02/19/2021	13:38
2	M1434-02DUP	SAND-SOIL-PILEDUP	1	100.02	0.00	02/19/2021	13:45
3	M1435-01	SU-04-021721	1	100.01	0.00	02/19/2021	13:52
4	M1446-01	R-LA-3-5-WC	1	100.04	0.00	02/19/2021	14:00

WORKLIST(Hardcopy Internal Chain)

LB113198

WorkList Name : pf21921 WorkList ID : 146527 Department : Wet-Chemistry Date : 02-19-2021 09:58:58

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/17/2021	Solid	M1434-02	Paint Filter	Cool 4 deg C	PSEG03	H31	SAND-SOIL-PILE	02/17/2021	9095B
02/17/2021	Solid	M1435-01	Paint Filter	Cool 4 deg C	PSEG05	H31	SU-04-021721	02/17/2021	9095B
02/17/2021	Solid	M1446-01	Paint Filter	Cool 4 deg C	PSEG03	H22	R-LA-3-5-WC	02/17/2021	9095B

Date/Time 02/19/21 13:30
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)

Date/Time 02/19/21 14:05
 Received by: KS (Welcher)
 Relinquished by: KS (Welcher)