

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB113211

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP88904
IODINE SOLUTION .025N 1L	W2763
Starch Solution, 4L	W2703

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB134773BL		1	5.00	50	2.00	0.00	1.88	1.88	0.12	0.00	0.00	02/22/2021	15:15
2	M1452-04		1	5.03	50	2.00	1.88	3.72	1.84	0.16	0.04	3.18	02/22/2021	15:18
3	M1452-04DUP		1	5.04	50	2.00	3.72	5.58	1.86	0.14	0.02	1.59	02/22/2021	15:22
4	M1452-08		1	5.05	50	2.00	5.58	7.40	1.82	0.18	0.06	4.75	02/22/2021	15:25
5	M1452-12		1	5.04	50	2.00	0.00	1.86	1.86	0.14	0.02	1.59	02/22/2021	15:28
6	M1452-16		1	5.06	50	2.00	1.86	3.70	1.84	0.16	0.04	3.16	02/22/2021	15:32
7	M1452-20		1	5.03	50	2.00	3.70	5.52	1.82	0.18	0.06	4.77	02/22/2021	15:35
8	M1452-24		1	5.02	50	2.00	5.52	7.36	1.84	0.16	0.04	3.19	02/22/2021	15:38
9	M1452-28		1	5.04	50	2.00	0.00	1.86	1.86	0.14	0.02	1.59	02/22/2021	15:40

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume