



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113261

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M1475-01	WA-CON	1	100.04	0.00	02/25/2021	12:48
2	M1475-01DUP	WA-CONDUP	1	100.05	0.00	02/25/2021	12:55
3	M1476-01	ML-CON	1	100.03	0.00	02/25/2021	13:05
4	M1477-01	72-11995	1	100.02	0.00	02/25/2021	13:12

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF22521 WorkList ID : 146661 Department : Wet-Chemistry Date : 02-25-2021 11:53:13

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/24/2021	Solid	M1475-01	Paint Filter	Cool 4 deg C	PSEG03	I21	WA-CON	02/24/2021	9095B
02/24/2021	Solid	M1476-01	Paint Filter	Cool 4 deg C	PSEG03	I21	ML-CON	02/24/2021	9095B
02/24/2021	Solid	M1477-01	Paint Filter	Cool 4 deg C	PSEG03	I21	72-11995	02/24/2021	9095B

Date/Time 02/25/21 12:40
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)

Date/Time 02/25/21 13:15
 Received by: KS (Wetchem)
 Relinquished by: KS (Wetchem)