



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Alexander

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB113342

Reagent/Standard	Lot/Log #
COD ICV-LCS std, 50ppm	WP89563
COD calibration std. 100 ppm	WP89560
COD calibration std. 10 ppm	WP89558
COD calibration std. 150 ppm	WP89561
COD calibration std. 50 ppm	WP89559
COD calibration std. 0 ppm	WP89557
COD Digestion Vials Low Level 0-150Mg/L	W2779
COD ICV-LCS std, 50ppm	WP89751
COD CCV std, 50ppm	WP89750
COD LOD std, 5ppm	WP89762
COD LOQ std, 10.0PPM	WP89763

Temp In (C): 149	Date In: 03/03/2021	Time In: 10:15
Temp Out (C): 150	Date Out: 03/03/2021	Time Out: 12:15

Intercept: 0.6499

Slope: 0.996

Regression: 0.9998

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Result (mg/l)	%D	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	-0.653		02/19/2021	14:40
2	CAL2	10	1	Water	11.000	10.392	-3.9	02/19/2021	14:40
3	CAL3	50	1	Water	50.000	49.548	0.9	02/19/2021	14:41
4	CAL4	100	1	Water	102.000	101.757	-1.8	02/19/2021	14:41
5	CAL5	150	1	Water	149.000	148.946	0.7	02/19/2021	14:42



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Alexander

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB113342

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50			1	Water	50.000	49.548	02/19/2021	14:43
2	ICB				1	Water	0.000	-0.653	02/19/2021	14:43
3	CCV1	50			1	Water	52.000	51.556	03/03/2021	13:17
4	CCB1				1	Water	0.000	-0.653	03/03/2021	13:17
5	LB113342BL		1.00	50	1	Solid	1.000	0.352	03/03/2021	13:18
6	LB113342BS	50	1.00	50	1	Solid	52.000	51.556	03/03/2021	13:19
7	M1458-01		1.00	50	1	Solid	6.000	5.372	03/03/2021	13:19
8	M1458-02		1.00	50	1	Solid	10.000	9.388	03/03/2021	13:20
9	CCV2	50			1	Water	52.000	51.556	03/03/2021	13:21
10	CCB2				1	Water	1.000	0.352	03/03/2021	13:21