



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113369

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M1565-01	TP-1	1	100.02	0.00	03/05/2021	10:40
2	M1565-01DUP	TP-1DUP	1	100.01	0.00	03/05/2021	10:48
3	M1565-03	TP-2	1	100.03	0.00	03/05/2021	10:55
4	M1565-05	TP-3	1	100.04	0.00	03/05/2021	11:05
5	M1565-07	TP-4	1	100.05	0.00	03/05/2021	11:12
6	M1566-01	RO-282	1	100.03	0.00	03/05/2021	11:20
7	M1566-03	VEOLIA-72-11977	1	100.02	0.00	03/05/2021	11:28
8	M1567-01	PL-02-030421	1	100.01	0.00	03/05/2021	11:35
9	M1568-01	SOUTHSIDE	1	100.03	0.00	03/05/2021	11:42
10	M1568-03	EASTSIDE	1	100.02	0.00	03/05/2021	11:50
11	M1568-05	NORTHSIDE	1	100.01	0.00	03/05/2021	11:58

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf3521

WorkList ID : 146913

Department : Wet-Chemistry

Date : 03-05-2021 08:55:22

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/04/2021	Solid	M1565-01	Paint Filter	Cool 4 deg C	PSEG03	J11	TP-1	03/04/2021	9095B
03/04/2021	Solid	M1565-03	Paint Filter	Cool 4 deg C	PSEG03	J11	TP-2	03/04/2021	9095B
03/04/2021	Solid	M1565-05	Paint Filter	Cool 4 deg C	PSEG03	J11	TP-3	03/04/2021	9095B
03/04/2021	Solid	M1565-07	Paint Filter	Cool 4 deg C	PSEG03	J11	TP-4	03/04/2021	9095B
03/04/2021	Solid	M1566-01	Paint Filter	Cool 4 deg C	PSEG03	J11	RO-282	03/04/2021	9095B
03/04/2021	Solid	M1566-03	Paint Filter	Cool 4 deg C	PSEG03	J11	VEOLIA-72-11977	03/04/2021	9095B
03/04/2021	Solid	M1567-01	Paint Filter	Cool 4 deg C	PSEG05	J11	PL-02-030421	03/04/2021	9095B
03/04/2021	Solid	M1568-01	Paint Filter	Cool 4 deg C	PSEG03	J11	SOUTHSIDE	03/04/2021	9095B
03/04/2021	Solid	M1568-03	Paint Filter	Cool 4 deg C	PSEG03	J11	EASTSIDE	03/04/2021	9095B
03/04/2021	Solid	M1568-05	Paint Filter	Cool 4 deg C	PSEG03	J11	NORTHSIDE	03/04/2021	9095B

Date/Time 03/05/21 10:30
 Received by: KS (Wetchem)
 Relinquished by: RJ (EAT-1000)

Date/Time 03/05/21 12:00
 Received by: RJ (EAT-1400)
 Relinquished by: KS (Wetchem)