



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 3/9/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 03/08/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 03/09/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB113396

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M1569-01	MH0AF7	9	1.00	2.00	2.00	100.0	
M1595-01	OF-3-20210305	1	1.13	9.72	5.17	47.0	
M1595-02	M1595-01MS	2	1.13	9.72	5.17	47.0	
M1595-03	M1595-01MSD	3	1.13	9.72	5.17	47.0	
M1595-04	OF-4-20210305	4	1.16	9.9	7.09	67.8	
M1595-05	DUP03-20210305	5	1.13	9.83	4.81	42.3	
M1597-01	AU-06-030821	10	1.16	9.84	9.03	90.7	
M1598-01	OR-02-030821	11	1.17	9.66	8.95	91.6	
M1598-02	OR-02-030821-EPH-2	12	1.13	9.92	9.24	92.3	
M1599-01	OK-02-030821	13	1.15	9.6	9.17	94.9	
M1599-02	OK-02-030821-EPH-2	14	1.15	9.97	9.36	93.1	
M1600-01	BIN-4	15	1.15	9.54	9.05	94.2	
M1600-02	BIN-4	16	1.11	9.67	9.12	93.6	
M1601-01	BIN-3	17	1.16	9.92	9.41	94.2	
M1601-02	BIN-3	18	1.18	9.78	9.21	93.4	
M1602-01	SU-02-030821	19	1.17	9.59	8.86	91.3	
M1602-02	SU-02-030821-EPH-2	20	1.15	9.55	8.9	92.3	
M1602-02D	SU-02-030821-EPH-2DUP	21	1.19	9.57	8.92	92.2	
M1603-01	31-NORTH	6	1.17	9.94	9.11	90.5	
M1603-02	32-NORTH	7	1.19	9.84	9.42	95.1	
M1603-03	33-NORTH	8	1.14	9.69	8.59	87.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$