



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 3/16/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:15
In Date: 03/10/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:27
Out Date: 03/11/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB113436

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M1634-01	MGB2Z4	1	1.12	9.61	8.56	87.6	
M1634-02	MGB2Z5	2	1.17	9.78	9.6	97.9	
M1634-03	MGB2Z6	3	1.12	9.84	9.57	96.9	
M1634-04	MGB2Z7	4	1.15	9.77	9.5	96.9	
M1634-05	MGB2Z8	5	1.15	9.96	9.64	96.4	
M1634-06	MGB2Z9	6	1.16	9.87	9.71	98.2	
M1634-07	MGB300	7	1.17	9.72	9.54	97.9	
M1634-08	MGB301	8	1.18	9.98	9.75	97.4	
M1634-09	MGB302	9	1.12	9.63	9.47	98.1	
M1634-10	MGB303	10	1.16	9.83	9.66	98.0	
M1634-11	MGB304	11	1.19	9.56	9.35	97.5	
M1634-12	MGB304D	12	1.19	9.56	9.35	97.5	
M1634-13	MGB304S	13	1.19	9.56	9.35	97.5	
M1634-14	MGB305	14	1.14	9.7	9.57	98.5	
M1634-15	MGB306	15	1.12	9.75	9.6	98.3	
M1634-16	MGB307	16	1.1	9.88	9.7	97.9	
M1634-17	MGB308	17	1.15	9.79	9.55	97.2	
M1634-18	MGB309	18	1.13	9.79	9.57	97.5	
M1634-19	MGB310	19	1.15	9.16	8.81	95.6	
M1634-20	MGB311	20	1.19	9.6	9.44	98.1	
M1634-21	MGB312	21	1.15	9.61	9.43	97.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$