



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113443

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M1607-01	NB-07-030921	1	100.03	0.00	03/10/2021	14:02
2	M1607-01DUP	NB-07-030921DUP	1	100.02	0.00	03/10/2021	14:10
3	M1608-01	HD-02-030921	1	100.01	0.00	03/10/2021	14:18
4	M1609-01	TR-05-030921	1	100.05	0.00	03/10/2021	14:25
5	M1616-01	TP-19-A	1	100.04	0.00	03/10/2021	14:35

WORKLIST(Hardcopy Internal Chain)

LB113443

WorkList Name : PF31021

WorkList ID : 147028

Department : Wet-Chemistry

Date : 03-10-2021 13:47:51

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/09/2021	Solid	M1607-01	Paint Filter	Cool 4 deg C	PSEG05	H21	NB-07-030921	03/09/2021	9095B
03/09/2021	Solid	M1608-01	Paint Filter	Cool 4 deg C	PSEG05	H21	HD-02-030921	03/09/2021	9095B
03/09/2021	Solid	M1609-01	Paint Filter	Cool 4 deg C	PSEG05	H21	TR-05-030921	03/09/2021	9095B
03/09/2021	Solid	M1616-01	Paint Filter	Cool 4 deg C	PSEG03	H31	TP-19-A	03/09/2021	9095B

Date/Time 03/10/21 13:50
 Received by: KS (wekcher)
 Relinquished by: RJ c EA-1046

Date/Time 03/10/21 14:40
 Received by: RJ c EA-1046
 Relinquished by: KS (wekcher)