



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113456

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M1625-01	SP-1-1	1	100.02	0.00	03/11/2021	10:32
2	M1625-01DUP	SP-1-1DUP	1	100.03	0.00	03/11/2021	10:40
3	M1625-03	SP-1-2	1	100.01	0.00	03/11/2021	10:48
4	M1640-01	TP-20-A	1	100.02	0.00	03/11/2021	10:55

WORKLIST(Hardcopy Internal Chain)

LB 113456

WorkList Name : pf31121

WorkList ID : 147059

Department : Wet-Chemistry

Date : 03-11-2021 08:57:20

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/10/2021	Solid	M1625-01	Paint Filter	Cool 4 deg C	PSEG03	H41	SP-1-1	03/10/2021	9095B
03/10/2021	Solid	M1625-03	Paint Filter	Cool 4 deg C	PSEG03	H41	SP-1-2	03/10/2021	9095B
03/10/2021	Solid	M1640-01	Paint Filter	Cool 4 deg C	PSEG03	H41	TP-20-A	03/10/2021	9095B

Date/Time 03/11/21 09:00
 Received by: KS (Welch)
 Relinquished by: RS C E T - (06)

Date/Time 03/11/21 11:00
 Received by: RS C E T - (06)
 Relinquished by: KS (Welch)