



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/17/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 03/12/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 03/13/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB113483

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M1645-05	SVOC-GPC-BLANK	1	1.00	2.00	2.00	100.0	
M1645-06	PEST-GPC-BLANK	2	1.00	2.00	2.00	100.0	
M1645-07	PEST-GPC-BLANK-SPIKE	3	1.00	2.00	2.00	100.0	
M1645-08	PCB-GPC-BLANK	4	1.00	2.00	2.00	100.0	
M1645-09	PCB-GPC-BLANK-SPIKE	5	1.00	2.00	2.00	100.0	
M1645-10	SVOC-GPC2-BLANK	6	1.00	2.00	2.00	100.0	
M1645-11	PEST-GPC2-BLANK	7	1.00	2.00	2.00	100.0	
M1645-12	PEST-GPC2-BLANK-SPIKE	8	1.00	2.00	2.00	100.0	
M1645-13	PCB-GPC2-BLANK	9	1.00	2.00	2.00	100.0	
M1645-14	PCB-GPC2-BLANK-SPIKE	10	1.00	2.00	2.00	100.0	
M1652-01	PE-1S- (2.0-2.5)	11	1.15	9.88	9.12	91.3	
M1652-02	PE-2S- (2.0-2.5)	12	1.19	9.79	9.09	91.9	
M1652-03	PE-3S- (2.0-2.5)	13	1.15	9.95	9.37	93.4	
M1652-04	PE-4S- (2.0-2.5)	14	1.17	9.93	9.39	93.8	
M1652-05	PE-1D- (6.5-7.0)	15	1.19	9.75	8.97	90.9	
M1652-06	PE-2D- (6.5-7.0)	16	1.16	9.91	9.08	90.5	
M1652-07	PE-3D- (6.5-7.0)	17	1.1	9.77	9.02	91.3	
M1652-08	PE-4D- (7.0-7.5)	18	1.15	9.57	8.81	91.0	
M1652-09	DUP-031021	19	1.12	9.76	9.00	91.2	
M1652-09D	DUP-031021DUP	20	1.14	9.79	9.02	91.1	
M1660-01	X127-1A	21	1.12	9.82	8.12	80.5	
M1660-02	X127-DUP1	22	1.14	9.98	8.12	79.0	
M1660-05	X127-2A	23	1.16	9.69	8.36	84.4	
M1660-08	X127-3A	24	1.14	9.94	8.81	87.2	
M1660-11	X127-4A	25	1.16	9.97	8.92	88.1	
M1660-14	X127-5A	26	1.16	9.78	8.52	85.4	
M1660-17	X127-6A	27	1.12	9.91	8.61	85.2	
M1661-01	X127-7A	28	1.18	9.59	8.06	81.8	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/17/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 03/12/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 03/13/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB113483

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M1661-04	X127-8A	29	1.15	9.94	8.21	80.3	
M1661-07	X127-9A	30	1.13	9.52	7.68	78.1	
M1661-10	X127-10A	31	1.15	9.97	8.63	84.8	
M1661-14	X127-11A	32	1.16	9.75	8.32	83.4	
M1661-18	X127-12A	33	1.19	9.79	8.29	82.6	
M1662-01	X127-13A	34	1.15	9.58	8.28	84.6	
M1662-04	X127-14A	35	1.1	9.89	8.18	80.5	
M1662-07	X127-15A	36	1.16	9.79	8.58	86.0	
M1662-08	X127-DUP4	37	1.14	9.97	8.55	83.9	
M1662-11	X127-16A	38	1.15	9.98	8.46	82.8	
M1662-14	X127-17A	39	1.13	9.66	8.21	83.0	
M1662-17	X127-18A	40	1.18	9.75	8.61	86.7	
M1662-17D	X127-18ADUP	41	1.14	9.77	8.63	86.8	
M1663-01	X127-19A	42	1.14	9.97	8.66	85.2	
M1663-05	X127-20A	43	1.12	9.59	8.22	83.8	
M1663-08	X127-21A	44	1.17	9.71	8.45	85.2	
M1663-12	X127-22A	45	1.15	9.95	8.78	86.7	
M1663-15	X127-23A	46	1.14	9.93	8.7	86.0	
M1663-18	X127-24A	47	1.1	9.87	8.65	86.1	
M1663-19	X127-DUP7	48	1.1	9.77	8.49	85.2	
M1663-21	X127-24C	49	1.18	9.6	8.5	86.9	
M1664-01	VNJ-230	59	1.13	9.82	8.8	88.3	
M1664-02	VNJ-230	60	1.13	9.81	9.04	91.1	
M1664-02D	VNJ-230DUP	61	1.14	9.83	9.14	92.1	
M1665-01	41701	64	1.15	9.7	9.56	98.4	
M1666-01	1875-1	70	1.00	2.00	2.00	100.0	OIL SAMPLE
M1668-01	CL-02-031221	65	1.11	9.86	9.22	92.7	
M1668-02	CL-02-031221-EPH-2	66	1.16	9.79	9.29	94.2	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/17/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 03/12/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 03/13/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB113483

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M1669-01	RBR-607	62	1.11	9.66	6.23	59.9	
M1670-01	HA-4A	50	1.14	9.98	7.1	67.4	
M1670-02	HA-5A	51	1.12	9.52	6.87	68.5	
M1670-03	HA-6A	52	1.14	9.7	6.1	57.9	
M1670-04	HA-7A	53	1.13	9.77	6.98	67.7	
M1670-05	HA-8A	54	1.16	9.72	6.69	64.6	
M1670-06	HA-9A	55	1.19	9.98	7.78	75.0	
M1670-07	HA-10A	56	1.17	9.77	7.12	69.2	
M1670-08	HA-11A	57	1.16	9.79	6.42	61.0	
M1673-01	TT-040-RW6-IDWSO-20210311	58	1.15	9.96	7.92	76.8	
M1678-01	D2470-D2800 (SOIL) -A	67	1.13	9.72	4.75	42.1	
M1678-02	D2470-D2800 (SOIL) -A	68	1.16	9.6	4.95	44.9	
M1678-03	D2470-D2800 (SOIL) -B	69	1.13	9.67	4.31	37.2	
M1680-01	HW-54	63	1.00	2.00	2.00	100.0	OIL SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$