



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113485

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M1639-01	STOCKPILE	1	100.03	0.00	03/12/2021	10:15
2	M1639-01DUP	STOCKPILEDUP	1	100.02	0.00	03/12/2021	10:25
3	M1649-02	SP-1-1	1	100.01	0.00	03/12/2021	10:32
4	M1649-04	SP-1-2	1	100.03	0.00	03/12/2021	10:40
5	M1649-06	SP-1-3	1	100.01	0.00	03/12/2021	10:48
6	M1650-01	EO-01-031121	1	100.02	0.00	03/12/2021	10:55

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf31221

WorkList ID : 147097

Department : Wet-Chemistry

Date : 03-12-2021 09:11:49

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/10/2021	Solid	M1639-01	Paint Filter	Cool 4 deg C	TULL01	J42	STOCKPILE	03/10/2021	9095B
03/11/2021	Solid	M1649-02	Paint Filter	Cool 4 deg C	PSEG03	H42	SP-1-1	03/11/2021	9095B
03/11/2021	Solid	M1649-04	Paint Filter	Cool 4 deg C	PSEG03	H42	SP-1-2	03/11/2021	9095B
03/11/2021	Solid	M1649-06	Paint Filter	Cool 4 deg C	PSEG03	H42	SP-1-3	03/11/2021	9095B
03/11/2021	Solid	M1650-01	Paint Filter	Cool 4 deg C	PSEG05	H51	EO-01-031121	03/11/2021	9095B

Date/Time 03/12/21 09:15
 Received by: KS (Wet Chem)
 Relinquished by: JPC (Wet Chem)

Date/Time 03/12/21 11:00
 Received by: JPC (Wet Chem)
 Relinquished by: KS (Wet Chem)