



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113522

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M1664-02	VNJ-230	1	100.03	0.00	03/15/2021	09:35
2	M1664-02DUP	VNJ-230DUP	1	100.02	0.00	03/15/2021	09:45
3	M1668-01	CL-02-031221	1	100.01	0.00	03/15/2021	09:52

WORKLIST(Hardcopy Internal Chain)

LB 113522

WorkList Name : pf31521 WorkList ID : 147143 Department : Wet-Chemistry Date : 03-15-2021 09:17:02

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/12/2021	Solid	M1664-02	C Paint Filter	Cool 4 deg C	PSEG03	H52	VNJ-230	03/12/2021	9095B
03/12/2021	Solid	M1668-01	H Paint Filter	Cool 4 deg C	PSEG05	H52	CL-02-031221	03/12/2021	9095B

Date/Time 03/15/21 09:25
 Received by: KS (Wetchem)
 Relinquished by: RJ CEF-1046

Date/Time 03/15/21 09:55
 Received by: RJ CEF-1046
 Relinquished by: KS (Wetchem)