



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113547

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M1686-01	SW-VAN-WINKLE-STREET	1	100.03	0.00	03/17/2021	12:02
2	M1686-01DUP	SW-VAN-WINKLE-STREET	1	100.02	0.00	03/17/2021	12:10
3	M1686-02	SW-SUMMER-STREET	1	100.01	0.00	03/17/2021	12:18
4	M1688-01	R-LA-4-1-WC	1	100.05	0.00	03/17/2021	12:25
5	M1689-01	R-LA-4-4-WC	1	100.03	0.00	03/17/2021	12:32
6	M1693-01	TP-5A	1	100.04	0.00	03/17/2021	12:40

WORKLIST(Hardcopy Internal Chain)

LB113547

WorkList Name : PF31721 WorkList ID : 147216 Department : Wet-Chemistry Date : 03-17-2021 11:43:43

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/16/2021	Solid	M1686-01	Paint Filter	Cool 4 deg C	PSEG03	H61	SW-VAN-WINKLE-STREET	03/16/2021	9095B
03/16/2021	Solid	M1686-02	Paint Filter	Cool 4 deg C	PSEG03	H61	SW-SUMMER-STREET	03/16/2021	9095B
03/16/2021	Solid	M1688-01	Paint Filter	Cool 4 deg C	PSEG03	H62	R-LA-4-1-WC	03/16/2021	9095B
03/16/2021	Solid	M1689-01	Paint Filter	Cool 4 deg C	PSEG03	H62	R-LA-4-4-WC	03/16/2021	9095B
03/16/2021	Solid	M1693-01	Paint Filter	Cool 4 deg C	PSEG03	H63	TP-5A	03/16/2021	9095B

Date/Time 03/17/21 11:50
 Received by: KS (Welcher)
 Relinquished by: _____

Date/Time 03/17/21 12:50
 Received by: _____
 Relinquished by: KS (Welcher)