



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB113600

BalanceID: WC SC-4

| Seq | LabID       | ClientID        | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|-----------------|----------|-----------|------------------------|------------|-----------|
| 1   | M1721-01    | TR-05-031821    | 1        | 100.03    | 0.00                   | 03/19/2021 | 10:10     |
| 2   | M1721-01DUP | TR-05-031821DUP | 1        | 100.02    | 0.00                   | 03/19/2021 | 10:22     |
| 3   | M1721-03    | TR-08-031821    | 1        | 100.01    | 0.00                   | 03/19/2021 | 10:30     |
| 4   | M1722-01    | HD-01-031821    | 1        | 100.02    | 0.00                   | 03/19/2021 | 10:38     |
| 5   | M1723-01    | 24055           | 1        | 100.05    | 0.00                   | 03/19/2021 | 10:45     |
| 6   | M1723-03    | RO124027        | 1        | 100.04    | 0.00                   | 03/19/2021 | 10:52     |
| 7   | M1724-02    | 26207           | 1        | 100.03    | 0.00                   | 03/19/2021 | 11:02     |

LB113600

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf31921 WorkList ID : 147288 Department : Wet-Chemistry Date : 03-19-2021 09:24:48

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------|
| 03/18/2021 | Solid  | M1721-01 | F Paint Filter | Cool 4 deg C | PSEG05   | I22              | TR-05-031821    | 03/18/2021   | 9095B  |
| 03/18/2021 | Solid  | M1721-03 | F Paint Filter | Cool 4 deg C | PSEG05   | I22              | TR-08-031821    | 03/18/2021   | 9095B  |
| 03/18/2021 | Solid  | M1722-01 | E Paint Filter | Cool 4 deg C | PSEG05   | I22              | HD-01-031821    | 03/18/2021   | 9095B  |
| 03/18/2021 | Solid  | M1723-01 | F Paint Filter | Cool 4 deg C | PSEG03   | I23              | 24055           | 03/18/2021   | 9095B  |
| 03/18/2021 | Solid  | M1723-03 | F Paint Filter | Cool 4 deg C | PSEG03   | I23              | RO124027        | 03/18/2021   | 9095B  |
| 03/18/2021 | Solid  | M1724-02 | C Paint Filter | Cool 4 deg C | PSEG03   | I21              | 26207           | 03/18/2021   | 9095B  |

Date/Time 03/19/21 10:00  
Received by: KS (Wetchem)  
Relinquished by: JP (Wetchem)

Date/Time 03/19/21 11:05  
Received by: JP (Wetchem)  
Relinquished by: KS (Wetchem)