



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114005

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2029-01	OR-01-041421	1	100.03	0.00	04/16/2021	12:25
2	M2029-01DUP	OR-01-041421DUP	1	100.02	0.00	04/16/2021	12:32
3	M2034-03	1979	1	100.01	0.00	04/16/2021	12:40
4	M2044-01	TR-05-041421	1	100.02	0.00	04/16/2021	12:48
5	M2050-01	TP-7	1	100.03	0.00	04/16/2021	12:55
6	M2050-03	TP-8	1	100.01	0.00	04/16/2021	13:05
7	M2050-05	TP-9	1	100.02	0.00	04/16/2021	13:12
8	M2050-07	TP-5	1	100.01	0.00	04/16/2021	13:20
9	M2050-09	TP-4	1	100.02	0.00	04/16/2021	13:28
10	M2050-11	TP-3	1	100.03	0.00	04/16/2021	13:35
11	M2050-13	TP-2	1	100.01	0.00	04/16/2021	13:42
12	M2050-15	TP-1	1	100.02	0.00	04/16/2021	13:50
13	M2050-17	TP-6	1	100.01	0.00	04/16/2021	13:58
14	M2051-01	0124027	1	100.05	0.00	04/16/2021	14:05
15	M2051-03	0124035	1	100.02	0.00	04/16/2021	14:12
16	M2051-05	0124055	1	100.02	0.00	04/16/2021	14:20
17	M2051-07	0124019	1	100.03	0.00	04/16/2021	14:28
18	M2052-01	OK-02-041521	1	100.01	0.00	04/16/2021	14:35

WORKLIST(Hardcopy Internal Chain)

LB 114005

WorkList Name : PF41521 WorkList ID : 148053 Department : Wet-Chemistry Date : 04-15-2021 13:17:09

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/14/2021	Solid	M2029-01	Paint Filter	Cool 4 deg C	PSEG05	O51	OR-01-041421	04/14/2021	9095B
04/14/2021	Solid	M2034-03	Paint Filter	Cool 4 deg C	PSEG03	O51	1979	04/14/2021	9095B
04/14/2021	Solid	M2044-01	Paint Filter	Cool 4 deg C	PSEG05	O51	TR-05-041421	04/14/2021	9095B
04/15/2021	Solid	M2050-01	Paint Filter	Cool 4 deg C	PSEG03	O63	TP-7	04/15/2021	9095B
04/15/2021	Solid	M2050-03	Paint Filter	Cool 4 deg C	PSEG03	O63	TP-8	04/15/2021	9095B
04/15/2021	Solid	M2050-05	Paint Filter	Cool 4 deg C	PSEG03	O63	TP-9	04/15/2021	9095B
04/15/2021	Solid	M2050-07	Paint Filter	Cool 4 deg C	PSEG03	O63	TP-5	04/15/2021	9095B
04/15/2021	Solid	M2050-09	Paint Filter	Cool 4 deg C	PSEG03	O63	TP-4	04/15/2021	9095B
04/15/2021	Solid	M2050-11	Paint Filter	Cool 4 deg C	PSEG03	O63	TP-3	04/15/2021	9095B
04/15/2021	Solid	M2050-13	Paint Filter	Cool 4 deg C	PSEG03	O63	TP-2	04/15/2021	9095B
04/15/2021	Solid	M2050-15	Paint Filter	Cool 4 deg C	PSEG03	O63	TP-1	04/15/2021	9095B
04/15/2021	Solid	M2050-17	Paint Filter	Cool 4 deg C	PSEG03	O63	TP-6	04/15/2021	9095B
04/15/2021	Solid	M2051-01	Paint Filter	Cool 4 deg C	PSEG03	O61	0124027	04/15/2021	9095B
04/15/2021	Solid	M2051-03	Paint Filter	Cool 4 deg C	PSEG03	O61	0124035	04/15/2021	9095B
04/15/2021	Solid	M2051-05	Paint Filter	Cool 4 deg C	PSEG03	O61	0124055	04/15/2021	9095B
04/15/2021	Solid	M2051-07	Paint Filter	Cool 4 deg C	PSEG03	O61	0124019	04/15/2021	9095B
04/15/2021	Solid	M2052-01	Paint Filter	Cool 4 deg C	PSEG05	O61	OK-02-041521	04/15/2021	9095B

Date/Time 04/16/21 12:15
 Raw Sample Received by: KS (Weber)
 Raw Sample Relinquished by: AM (wet-chem)

Date/Time 04/16/21 14:40
 Raw Sample Received by: AM (wet-chem)
 Raw Sample Relinquished by: KS (Weber)