



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114062

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2094-01	OR-3-041921	1	100.02	0.00	04/20/2021	10:38
2	M2094-01DUP	OR-3-041921DUP	1	100.01	0.00	04/20/2021	10:45
3	M2095-01	WC-1	1	100.03	0.00	04/20/2021	10:52

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf42021 WorkList ID : 148184 Department : Wet-Chemistry Date : 04-20-2021 09:16:30

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/19/2021	Solid	M2094-01	Paint Filter	Cool 4 deg C	PSEG05	O21	OR-3-041921	04/19/2021	9095B
04/19/2021	Solid	M2095-01	Paint Filter	Cool 4 deg C	FIRS02	P11	WC-1	04/19/2021	9095B

Date/Time 04/20/21 09:30
 Raw Sample Received by: KS (Wetchem)
 Raw Sample Relinquished by: RJ (Wetchem)

Date/Time 04/20/21 10:55
 Raw Sample Received by: RJ (Ext-rab)
 Raw Sample Relinquished by: KS (Wetchem)