



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114107

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2117-01	PL-01-042121	1	100.02	0.00	04/22/2021	12:38
2	M2117-01DUP	PL-01-042121DUP	1	100.01	0.00	04/22/2021	12:45
3	M2118-01	339	1	100.03	0.00	04/22/2021	12:52
4	M2118-03	20071	1	100.05	0.00	04/22/2021	13:02
5	M2119-01	12016	1	100.04	0.00	04/22/2021	13:10
6	M2119-03	352	1	100.01	0.00	04/22/2021	13:18

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF42221 WorkList ID : 148268 Department : Wet-Chemistry Date : 04-22-2021 10:26:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/21/2021	Solid	M2117-01	Paint Filter	Cool 4 deg C	PSEG05	O11	PL-01-042121	04/21/2021	9095B
04/21/2021	Solid	M2118-01	Paint Filter	Cool 4 deg C	PSEG03	O11	339	04/21/2021	9095B
04/21/2021	Solid	M2118-03	Paint Filter	Cool 4 deg C	PSEG03	O11	20071	04/21/2021	9095B
04/21/2021	Solid	M2119-01	Paint Filter	Cool 4 deg C	PSEG03	O11	12016	04/21/2021	9095B
04/21/2021	Solid	M2119-03	Paint Filter	Cool 4 deg C	PSEG03	O11	352	04/21/2021	9095B

Date/Time 04/22/21 12:30
 Raw Sample Received by: KS (Wetchem)
 Raw Sample Relinquished by: RC (Ext+LSB)

Date/Time 04/22/21 13:25
 Raw Sample Received by: RC (Ext+LSB)
 Raw Sample Relinquished by: KS (Wetchem)