



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/26/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:30
In Date: 04/23/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 04/26/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB114133

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M2165-01	GB3E4	1	1.15	9.98	8.71	85.6	
M2165-02	GB3E4MS	2	1.15	9.98	8.71	85.6	
M2165-03	GB3E4MSD	3	1.15	9.98	8.71	85.6	
M2165-04	GB3E5	4	1.15	9.98	7.82	75.5	
M2165-05	GB3E6	5	1.16	9.96	7.94	77.0	
M2165-06	GB3E7	6	1.12	9.89	7.48	72.5	
M2165-07	GB3E8	7	1.15	9.95	8.06	78.5	
M2165-08	GB3E9	8	1.15	9.92	7.91	77.1	
M2165-09	GB3F0	9	1.17	9.96	8.28	80.9	
M2165-10	GB3F1	10	1.18	9.64	7.79	78.1	
M2165-11	GB3F2	11	1.15	9.97	8.54	83.8	
M2165-12	GB3F3	12	1.13	9.51	7.51	76.1	
M2165-13	GB3F4	13	1.16	9.76	7.75	76.6	
M2165-14	GB3F5	14	1.13	9.89	7.73	75.3	
M2165-15	GB3F6	15	1.12	9.71	7.9	78.9	
M2165-16	GB3F7	16	1.12	9.62	7.55	75.6	
M2165-17	GB3F8	17	1.13	9.97	7.95	77.1	
M2165-18	GB3F9	18	1.15	9.95	8.32	81.5	
M2165-19	GB3G0	19	1.19	9.96	8.42	82.4	
M2165-20	GB3G1	20	1.17	9.7	8.08	81.0	
M2165-21	GB3G2	21	1.18	9.78	7.95	78.7	
M2165-22	GB3G3	22	1.16	9.63	7.58	75.8	
M2165-23	VHBLK01	23	1.00	2.00	2.00	100.0	P.E. SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$