



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114155

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2160-01	OK-03-042321	1	100.02	0.00	04/26/2021	09:45
2	M2160-01DUP	OK-03-042321DUP	1	100.04	0.00	04/26/2021	09:52
3	M2182-01	TP-13-12-COMP	1	100.01	0.00	04/26/2021	10:02
4	M2183-01	TP-16A-15-COMP	1	100.03	0.00	04/26/2021	10:10
5	M2183-03	TP-14-COMP	1	100.02	0.00	04/26/2021	10:18

WORKLIST(Hardcopy Internal Chain)

LB114155

WorkList Name : pf42621

WorkList ID : 148358

Department : Wet-Chemistry

Date : 04-26-2021 09:27:30

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/23/2021	Solid	M2160-01	E Paint Filter	Cool 4 deg C	PSEG05	O31	OK-03-042321	04/23/2021	9095B
04/23/2021	Solid	M2182-01	H Paint Filter	Cool 4 deg C	PSEG03	O32	TP-13-12-COMP	04/23/2021	9095B
04/22/2021	Solid	M2183-01	H Paint Filter	Cool 4 deg C	PSEG03	O32	TP-16A-15-COMP	04/22/2021	9095B
04/22/2021	Solid	M2183-03	F Paint Filter	Cool 4 deg C	PSEG03	O32	TP-14-COMP	04/22/2021	9095B

Date/Time 04/26/21 09:30
 Raw Sample Received by: KS (Wehner)
 Raw Sample Relinquished by: RJ (Fitzgerald)

Date/Time 04/26/21 10:25
 Raw Sample Received by: RJ (Fitzgerald)
 Raw Sample Relinquished by: KS (Wehner)