



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 4/28/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 15:25
In Date: 04/27/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:24
Out Date: 04/28/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB114180

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M2177-01	BG514	1	1.15	9.78	7.74	76.4	
M2177-02	BG579	2	1.16	9.84	7.37	71.5	
M2177-03	BG580	3	1.15	9.8	7.96	78.7	
M2177-04	BG581	4	1.15	9.97	8.07	78.5	
M2177-05	BG582	5	1.15	9.66	6.37	61.3	
M2177-06	BG583	6	1.18	9.81	6.35	59.9	
M2177-07	BG584	7	1.14	9.95	6.57	61.6	
M2177-08	VHBLK01	8	1.00	2.00	2.00	100.0	VHBLK
M2177-09	BG515	9	1.19	9.81	4.37	36.9	
M2177-10	BG576	10	1.19	9.68	3.96	32.6	
M2177-11	BG576MS	11	1.19	9.68	3.96	32.6	
M2177-12	BG576MSD	12	1.19	9.68	3.96	32.6	
M2177-13	BG577	13	1.16	9.78	4.35	37.0	
M2177-14	BG578	14	1.15	9.97	5.09	44.7	
M2177-15	BG585	15	1.16	9.81	4.96	43.9	
M2177-16	BG586	16	1.19	9.51	4.74	42.7	
M2177-17	BG587	17	1.15	9.77	7.74	76.5	
M2177-18	BG588	18	1.14	9.97	8.7	85.6	
M2177-19	BG589	19	1.15	9.96	8.35	81.7	
M2177-20	BG590	20	1.15	9.93	7.4	71.2	
M2177-21	BG591	21	1.17	9.77	7.52	73.8	
M2177-22	BG592	22	1.15	9.94	8.61	84.9	
M2177-23	BG594	23	1.14	9.87	5.08	45.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$