



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114220

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2188-01	TP-9A-8-COMP	1	100.02	0.00	04/30/2021	09:15
2	M2188-01DUP	TP-9A-8-COMPDUP	1	100.01	0.00	04/30/2021	09:25
3	M2190-01	NB-08-042721	1	100.04	0.00	04/30/2021	09:32
4	M2191-01	TR-05-042721	1	100.05	0.00	04/30/2021	09:40
5	M2198-02	SAMPLE-2-COMP	1	100.02	0.00	04/30/2021	09:48
6	M2199-03	SAMPLE-3-COMP	1	100.03	0.00	04/30/2021	09:55
7	M2207-01	TP-6A-5-COMP	1	100.04	0.00	04/30/2021	10:05
8	M2207-03	TP-4A-3-COMP	1	100.01	0.00	04/30/2021	10:15
9	M2222-01	TP-5-COMP	1	100.02	0.00	04/30/2021	10:22
10	M2222-06	TP-5A-COMP	1	100.03	0.00	04/30/2021	10:32
11	M2224-01	CL-01-042921	1	100.02	0.00	04/30/2021	10:40
12	M2225-01	HD-02-042921	1	100.05	0.00	04/30/2021	10:48
13	M2227-01	TP-2-1-COMP	1	100.03	0.00	04/30/2021	10:55
14	M2229-01	TP-6	1	100.01	0.00	04/30/2021	11:05

WORKLIST(Hardcopy Internal Chain)

LB 114220

WorkList Name : pf42821 WorkList ID : 148420 Department : Wet-Chemistry Date : 04-28-2021 09:25:06

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/26/2021	Solid	M2198-02	Paint Filter	Cool 4 deg C	LIRO01	P31	SAMPLE-2-COMP	04/26/2021	9095B
04/26/2021	Solid	M2199-03	Paint Filter	Cool 4 deg C	LIRO01	P22	SAMPLE-3-COMP	04/26/2021	9095B
04/26/2021	Solid	M2188-01	Paint Filter	Cool 4 deg C	PSEG03	O41	TP-9A-8-COMP	04/26/2021	9095B
04/27/2021	Solid	M2207-01	Paint Filter	Cool 4 deg C	PSEG03	O42	TP-6A-5-COMP	04/27/2021	9095B
04/27/2021	Solid	M2207-03	Paint Filter	Cool 4 deg C	PSEG03	O42	TP-4A-3-COMP	04/27/2021	9095B
04/28/2021	Solid	M2222-01	Paint Filter	Cool 4 deg C	PSEG03	O43	TP-5-COMP	04/28/2021	9095B
04/28/2021	Solid	M2222-06	Paint Filter	Cool 4 deg C	PSEG03	O43	TP-5A-COMP	04/28/2021	9095B
04/28/2021	Solid	M2227-01	Paint Filter	Cool 4 deg C	PSEG03	O51	TP-2-1-COMP	04/28/2021	9095B
04/29/2021	Solid	M2229-01	Paint Filter	Cool 4 deg C	PSEG03	O51	TP-6	04/29/2021	9095B
04/27/2021	Solid	M2190-01	Paint Filter	Cool 4 deg C	PSEG05	O41	NB-08-042721	04/27/2021	9095B
04/27/2021	Solid	M2191-01	Paint Filter	Cool 4 deg C	PSEG05	O41	TR-05-042721	04/27/2021	9095B
04/29/2021	Solid	M2224-01	Paint Filter	Cool 4 deg C	PSEG05	O51	CL-01-042921	04/29/2021	9095B
04/29/2021	Solid	M2225-01	Paint Filter	Cool 4 deg C	PSEG05	O51	HD-02-042921	04/29/2021	9095B

Date/Time 04/30/21 09:05
 Raw Sample Received by: KS (Wetchem)
 Raw Sample Relinquished by: RJ (Wetchem)

Date/Time 04/30/21 11:10
 Raw Sample Received by: RJ (Wetchem)
 Raw Sample Relinquished by: KS (Wetchem)