

IC-1
9056A
5/12/2021
AM


Clear table

ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2021-05-05_	5/5/21 9:21		AM/AP
STD2	0.4010	0.6490	0.6600	2.1350	0.5650	0.7220	3.3420	2021-05-05_	5/5/21 9:52		AM/AP
STD3	0.7670	1.1960	1.1860	3.9670	0.9940	2.0000	6.0230	2021-05-05_	5/5/21 10:23		AM/AP
STD4	1.0050	1.4820	1.4820	4.9040	1.2150	2.5930	7.4060	2021-05-05_	5/5/21 10:54		AM/AP
STD5	2.0290	2.9530	2.9760	9.9190	2.4470	5.2650	14.6580	2021-05-05_	5/5/21 11:25		AM/AP
STD6	4.0270	6.0090	5.9370	20.1590	5.0320	10.2400	29.7810	2021-05-05_	5/5/21 11:56		AM/AP
STD7	4.9700	7.5110	7.5590	24.9170	6.2470	12.1810	37.7900	2021-05-05_	5/5/21 12:27		AM/AP
ICV	1.9240	2.9050	2.9130	9.6470	2.3940	4.6600	14.3130	2021-05-05_	5/5/21 13:00		AM/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2021-05-05_	5/5/21 13:31		AM/AP
CCV	2.0460	2.7870	2.7730	9.2040	2.2880	4.8340	13.8000	2021-05-11_	5/11/21 16:18		AM/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2021-05-11_	5/11/21 16:48		AM/AP
LB114384BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2021-05-11_	5/11/21 17:18		AM/AP
LB114384BSW	2.0950	2.9560	2.9780	9.7040	2.3920	5.3300	14.4380	2021-05-11_	5/11/21 17:48		AM/AP
M2262-09	0.1740	0.3430	0.3760	1.1220	0.2960	0.1290	1.9390	2021-05-11_	5/11/21 18:48		AM/AP
CCV	2.0410	2.8390	2.8300	9.4430	2.3870	5.2120	14.0000	2021-05-11_	5/11/21 19:18		AM/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2021-05-11_	5/11/21 19:48		AM/AP

CALIBRATION OF COMPONENT F-

Method: ANIONS 05-05-21.mtw
 Equation: $Q = 0.885274 \cdot A - 0.904797$
 RSD: 1.370 %
 Correlation coefficient: 0.999898

IC-1
 300.0
 8/06/2021
 AM




K3 = 0 K2 = 0 K1 = 0.885274 K0 = -0.904797

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.7333	10.09	0.4	20	5.719			Yes
3	1.462	18.35	0.8	20	5.719			Yes
4	1.82	23.73	1	20	5.719			Yes
5	3.757	46.87	2	20	5.719			Yes
6	7.654	92.01	4	20	5.719			Yes
7	9.569	113.3	5	20	5.719			Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 05-05-21.mtw
 Equation: $Q = 1.46529 \cdot A + 1.29085$
 RSD: 1.093 %
 Correlation coefficient: 0.999935




K3 = 0 K2 = 0 K1 = 1.46529 K0 = 1.29085
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.5421	7.981	0.6	20	8.802			Yes
3	1.074	15.44	1.2	20	8.802			Yes
4	1.345	19.34	1.5	20	8.802			Yes
5	2.799	39.42	3	20	8.802			Yes
6	5.821	81.14	6	20	8.802			Yes
7	7.421	101.6	7.5	20	8.802			Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 05-05-21.mtw
 Equation: $Q = 0.657498 \cdot A + 2.86318$
 RSD: 1.672 %
 Correlation coefficient: 0.999848




K3 = 0 K2 = 0 K1 = 0.657498 K0 = 2.86318
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.9094	15.73	0.6	20	10.62			Yes
3	1.827	31.71	1.2	20	10.62			Yes
4	2.34	40.72	1.5	20	10.62			Yes
5	4.901	86.16	3	20	10.62			Yes
6	9.858	176.3	6	20	10.62			Yes
7	12.53	225.6	7.5	20	10.62			Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 05-05-21.mtw
 Equation: $Q = 3.34315 \cdot A + 4.98696$
 RSD: 1.178 %
 Correlation coefficient: 0.999924




K3 = 0 K2 = 0 K1 = 3.34315 K0 = 4.98696
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.5323	11.28	2	20	13.63			Yes
3	1.078	22.24	4	20	13.63			Yes
4	1.366	27.85	5	20	13.63			Yes
5	2.881	57.85	10	20	13.63			Yes
6	6.061	119.1	20	20	13.63			Yes
7	7.728	147.6	25	20	13.63			Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 05-05-21.mtw
 Equation: $Q = 0.573687 \cdot A + 1.73821$
 RSD: 1.762 %
 Correlation coefficient: 0.999831




K3 = 0 K2 = 0 K1 = 0.573687 K0 = 1.73821
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.6274	16.68	0.5	20	15.72			Yes
3	1.269	31.62	1	20	15.72			Yes
4	1.607	39.33	1.25	20	15.72			Yes
5	3.36	82.27	2.5	20	15.72			Yes
6	7.037	172.4	5	20	15.72			Yes
7	9.025	214.7	6.25	20	15.72			Yes

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 05-05-21.mtw
 Equation: $Q = 1.04861 \cdot A - 12.1615$
 RSD: 5.107 %
 Correlation coefficient: 0.998577




K3 = 0 K2 = 0 K1 = 1.04861 K0 = -12.1615

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.4878	25.37	1	20	21.69	Yes	
3	0.9937	49.74	2	20	21.69	Yes	
4	1.236	61.05	2.5	20	21.69	Yes	
5	2.358	112	5	20	21.69	Yes	
6	4.478	206.9	10	20	21.69	Yes	
7	5.54	243.9	12.5	20	21.69	Yes	

CALIBRATION OF COMPONENT SO4

Method: ANIONS 05-05-21.mtw
 Equation: $Q = 1.88685 \cdot A + 12.0418$
 RSD: 1.855 %
 Correlation coefficient: 0.999812



K3 = 0 K2 = 0 K1 = 1.88685 K0 = 12.0418

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.8578	29.04	3	20	24.84			Yes
3	1.707	57.46	6	20	24.84			Yes
4	2.142	72.12	7.5	20	24.84			Yes
5	4.474	149	15	20	24.84			Yes
6	9.308	309.3	30	20	24.84			Yes
7	11.85	394.2	37.5	20	24.84			Yes

Report date: 5/6/2021 8:19:47 AM
Printed by: wet


Ident: STD1
Analysis from: 5/5/2021 9:21:46 AM
File: _2021-05-05_

Last save: 5/5/2021 12:56:44 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74337

Last save: 5/5/2021 12:24:08 PM

SAMPLE:
: AM/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/6/2021 8:38:12 AM
Printed by: wet


Ident: STD2
Analysis from: 5/5/2021 9:52:41 AM
File: _2021-05-05_

Last save: 5/5/2021 12:56:44 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74338

Last save: 5/5/2021 12:24:08 PM

SAMPLE:
: AM/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.85	0.177	0.73	15.64	10.087	8.68	0.
2	9.01	0.218	0.54	11.55	7.981	6.87	0.
3	10.86	0.256	0.91	19.39	15.725	13.54	0.
4	13.86	0.317	0.53	11.34	11.281	9.71	0.
5	15.95	0.372	0.63	13.36	16.675	14.36	0.
6	21.80	0.704	0.49	10.39	25.372	21.84	0.
7	24.86	0.514	0.86	18.28	29.038	25.00	0.
7	28.00	0.365	4.69	99.95	116.159	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/6/2021 8:38:17 AM
Printed by: wet


Ident: STD3
Analysis from: 5/5/2021 10:23:35 AM
File: _2021-05-05_

Last save: 5/5/2021 12:56:44 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74339

Last save: 5/5/2021 12:24:08 PM

SAMPLE:
: AM/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.69	0.171	1.46	15.53	18.352	8.10	0.
2	8.73	0.213	1.07	11.41	15.441	6.82	0.
3	10.52	0.259	1.83	19.41	31.710	14.00	0.
4	13.47	0.309	1.08	11.45	22.238	9.82	0.
5	15.51	0.371	1.27	13.48	31.623	13.96	0.
6	21.46	0.670	0.99	10.56	49.735	21.95	0.
7	24.53	0.512	1.71	18.14	57.463	25.36	0.
7	28.00	0.358	9.41	99.98	226.562	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/6/2021 8:28:23 AM
Printed by: wet


Ident: STD4
Analysis from: 5/5/2021 10:54:30 AM
File: _2021-05-05_

Last save: 5/5/2021 12:56:44 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74340

Last save: 5/5/2021 12:24:08 PM

SAMPLE:
: AM/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.67	0.175	1.82	15.36	23.730	8.35	0.
2	8.70	0.212	1.34	11.34	19.343	6.81	0.
3	10.48	0.259	2.34	19.74	40.723	14.33	0.
4	13.41	0.305	1.37	11.52	27.848	9.80	0.
5	15.41	0.365	1.61	13.54	39.327	13.84	0.
6	21.47	0.659	1.24	10.42	61.049	21.49	0.
7	24.57	0.512	2.14	18.07	72.122	25.38	0.
7	28.00	0.355	11.86	99.99	284.140	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/6/2021 8:38:23 AM
Printed by: wet


Ident: STD5
Analysis from: 5/5/2021 11:25:25 AM
File: _2021-05-05_

Last save: 5/5/2021 12:56:46 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74341

Last save: 5/5/2021 12:24:08 PM

SAMPLE:
: AM/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.170	3.76	15.31	46.870	8.17	0.
2	8.71	0.208	2.80	11.41	39.424	6.87	0.
3	10.47	0.261	4.90	19.98	86.158	15.02	0.
4	13.36	0.299	2.88	11.74	57.847	10.09	0.
5	15.34	0.360	3.36	13.70	82.274	14.34	0.
6	21.45	0.636	2.36	9.61	112.019	19.53	0.
7	24.56	0.507	4.47	18.24	148.991	25.98	0.
7	28.00	0.349	24.53	99.99	573.582	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/6/2021 8:33:14 AM
Printed by: wet


Ident: STD6
Analysis from: 5/5/2021 11:56:19 AM
File: _2021-05-05_

Last save: 5/5/2021 12:56:46 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74342

Last save: 5/5/2021 12:24:08 PM

SAMPLE:
: AM/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.71	0.166	7.65	15.24	92.008	7.95	0.
2	8.70	0.206	5.82	11.59	81.137	7.01	0.
3	10.44	0.267	9.86	19.63	176.251	15.23	0.
4	13.33	0.292	6.06	12.07	119.104	10.29	0.
5	15.30	0.361	7.04	14.01	172.406	14.90	0.
6	21.63	0.620	4.48	8.92	206.901	17.88	0.
7	24.87	0.506	9.31	18.53	309.287	26.73	0.
7	28.00	0.345	50.22	100.00	1157.094	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/6/2021 8:34:54 AM
Printed by: wet


Ident: STD7
Analysis from: 5/5/2021 12:27:14 PM
File: _2021-05-05_

Last save: 5/5/2021 12:56:46 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74343

Last save: 5/5/2021 12:24:08 PM

SAMPLE:
: AM/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.164	9.57	15.03	113.298	7.86	0.
2	8.68	0.202	7.42	11.66	101.642	7.05	0.
3	10.41	0.269	12.53	19.68	225.587	15.66	0.
4	13.29	0.286	7.73	12.14	147.569	10.24	0.
5	15.19	0.351	9.02	14.18	214.744	14.90	0.
6	21.41	0.593	5.54	8.70	243.917	16.93	0.
7	24.60	0.507	11.85	18.61	394.175	27.36	0.
7	28.00	0.339	63.66	100.00	1440.934	100.00	0.

This report has been created by IC Net
METROHM LTD

Date - 5/5/2021

Analyst - AM

Anion Calibration std - relative error calculations, acceptance limit is -30 to 30 for std 2 and -10 to 10 for other std																				
Parameter	TV of std2	Result of std2	% RE std2	TV of std3	Result of std3	% RE std3	TV of std4	Result of std4	% RE std4	TV of std5	Result of std5	% RE std5	TV of std6	Result of std6	% RE std6	TV of std7	Result of std7	% RE std7		
F	0.4	0.401	0.3	0.8	0.767	-4.1	1	1.005	0.5	2	2.029	1.5	4	4.027	0.7	5	4.970	-0.6		
CL	0.6	0.649	8.2	1.2	1.196	-0.3	1.5	1.482	-1.2	3	2.953	-1.6	6	6.009	0.2	7.5	7.511	0.1		
NO2	0.6	0.660	10.0	1.2	1.186	-1.2	1.5	1.482	-1.2	3	2.976	-0.8	6	5.937	-1.1	7.5	7.559	0.8		
BR	2	2.135	6.7	4	3.967	-0.8	5	4.904	-1.9	10	9.919	-0.8	20	20.159	0.8	25	24.917	-0.3		
NO3	0.5	0.565	13.0	1	0.994	-0.6	1.25	1.215	-2.8	2.5	2.447	-2.1	5	5.032	0.6	6.25	6.247	0.0		
HPO4	1	0.722	-27.8	2	2.000	0.0	2.5	2.593	3.7	5	5.265	5.3	10	10.240	2.4	12.5	12.181	-2.6		
SO4	3	3.342	11.4	6	6.023	0.4	7.5	7.406	-1.3	15	14.658	-2.3	30	29.781	-0.7	37.5	37.790	0.8		

05/05/2021
AM

Report date: 5/6/2021 8:36:08 AM
 Printed by: wet


Ident: ICV
 Analysis from: 5/5/2021 1:00:02 PM
 File: _2021-05-05_

Last save: 5/5/2021 1:27:52 PM

Method: ANIONS 05-05-21.mtw
 Run operator: wet
 Analysis number: 74344

Last save: 5/5/2021 12:55:02 PM

SAMPLE:
 : AM/AP
 Vial number: 9
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.169	3.60	15.15	44.490	8.09	0.
2	8.70	0.210	2.74	11.52	38.769	7.05	0.
3	10.45	0.260	4.82	20.25	84.267	15.32	0.
4	13.33	0.297	2.83	11.89	56.222	10.22	0.
5	15.29	0.358	3.30	13.88	80.413	14.62	0.
6	21.49	0.630	2.13	8.97	100.483	18.27	0.
7	24.60	0.507	4.36	18.34	145.326	26.42	0.
7	28.00	0.347	23.78	100.00	549.970	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 5/6/2021 8:36:15 AM
Printed by: wet


Ident: ICB
Analysis from: 5/5/2021 1:31:09 PM
File: _2021-05-05_

Last save: 5/5/2021 1:58:58 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74345

Last save: 5/5/2021 12:55:02 PM

SAMPLE:
: AM/AP
Vial number: 10
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/12/2021 10:54:38 AM
Printed by: wet


Ident: CCV
Analysis from: 5/11/2021 4:18:52 PM
File: _2021-05-11_

Last save: 5/11/2021 4:45:42 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74431

Last save: 5/7/2021 9:30:24 AM

SAMPLE:
: AM/AP
Vial number: 11
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.177	3.60	15.69	47.250	8.78	0.
2	8.80	0.207	2.65	11.55	37.153	6.90	0.
3	10.57	0.263	4.54	19.77	79.995	14.86	0.
4	13.53	0.301	2.66	11.60	53.572	9.95	0.
5	15.53	0.363	3.12	13.57	76.750	14.26	0.
6	21.36	0.634	2.17	9.47	103.787	19.28	0.
7	24.48	0.505	4.21	18.35	139.896	25.98	0.
7	27.00	0.350	22.96	99.99	538.403	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/12/2021 10:58:04 AM
Printed by: wet


Ident: CCB
Analysis from: 5/11/2021 4:48:47 PM
File: _2021-05-11_

Last save: 5/11/2021 5:15:36 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74432

Last save: 5/7/2021 9:30:24 AM

SAMPLE:
:
Vial number: 12
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/12/2021 11:20:20 AM
Printed by: wet


Ident: LB114384BLW
Analysis from: 5/11/2021 5:18:42 PM
File: _2021-05-11_

Last save: 5/11/2021 5:45:32 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74433

Last save: 5/7/2021 9:30:24 AM

SAMPLE:
: AM/AP
Vial number: 13
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/12/2021 11:20:39 AM
Printed by: wet


Ident: LB114384BSW
Analysis from: 5/11/2021 5:48:37 PM
File: _2021-05-11_

Last save: 5/11/2021 6:15:26 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74434

Last save: 5/7/2021 9:30:24 AM

SAMPLE:
: AM/AP
Vial number: 14
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.69	0.172	3.83	15.71	48.363	8.47	0.
2	8.69	0.210	2.79	11.46	39.461	6.91	0.
3	10.49	0.267	4.81	19.75	86.239	15.11	0.
4	13.46	0.298	2.83	11.62	56.563	9.91	0.
5	15.44	0.359	3.31	13.58	80.360	14.08	0.
6	21.35	0.643	2.35	9.66	113.254	19.84	0.
7	24.49	0.503	4.43	18.20	146.660	25.69	0.
7	27.00	0.350	24.35	99.99	570.900	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/12/2021 11:20:46 AM
Printed by: wet


Ident: M2262-09
Analysis from: 5/11/2021 6:48:27 PM
File: _2021-05-11_

Last save: 5/11/2021 7:15:16 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74436

Last save: 5/7/2021 9:30:24 AM

SAMPLE:
: AM/AP
Vial number: 15
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.176	0.34	15.35	4.952	8.76	0.
2	8.75	0.212	0.27	11.92	3.795	6.71	0.
3	10.55	0.253	0.41	18.41	7.072	12.51	0.
4	13.51	0.309	0.25	11.35	5.220	9.23	0.
5	15.61	0.378	0.28	12.73	7.293	12.90	0.
6	21.50	0.745	0.25	11.29	14.052	24.85	0.
7	24.56	0.510	0.42	18.77	14.166	25.05	0.
7	27.00	0.369	2.23	99.82	56.550	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/12/2021 11:20:53 AM
Printed by: wet


Ident: CCV
Analysis from: 5/11/2021 7:18:22 PM
File: _2021-05-11_

Last save: 5/11/2021 7:45:12 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74437

Last save: 5/7/2021 9:30:24 AM

SAMPLE:
: AM/AP
Vial number: 11
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.172	3.70	15.60	47.130	8.49	0.
2	8.71	0.207	2.72	11.45	37.872	6.82	0.
3	10.48	0.260	4.69	19.75	81.730	14.73	0.
4	13.41	0.298	2.75	11.60	54.998	9.91	0.
5	15.40	0.369	3.23	13.60	80.176	14.45	0.
6	21.47	0.639	2.32	9.79	110.999	20.00	0.
7	24.59	0.501	4.32	18.19	142.010	25.59	0.
7	27.00	0.349	23.72	99.99	554.915	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/12/2021 11:21:01 AM
Printed by: wet


Ident: CCB
Analysis from: 5/11/2021 7:48:17 PM
File: _2021-05-11_

Last save: 5/11/2021 8:15:06 PM

Method: ANIONS 05-05-21.mtw
Run operator: wet
Analysis number: 74438

Last save: 5/7/2021 9:30:24 AM

SAMPLE:
: AM/AP
Vial number: 12
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD