



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114399

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2354-01	EO-01-051121	1	100.02	0.00	05/12/2021	09:55
2	M2354-01DUP	EO-01-051121DUP	1	100.01	0.00	05/12/2021	10:05
3	M2356-01	OR-03-051121	1	100.03	0.00	05/12/2021	10:15
4	M2361-01	CL-02-051121	1	100.05	0.00	05/12/2021	10:22
5	M2364-01	AST2-COPR4-1	1	100.06	0.00	05/12/2021	10:30

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf51221

WorkList ID : 148818

Department : Wet-Chemistry

Date : 05-12-2021 09:10:47

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
05/11/2021	Solid	M2354-01	Paint Filter	Cool 4 deg C	PSEG05	E12	EO-01-051121	05/11/2021	9095B
05/11/2021	Solid	M2356-01	Paint Filter	Cool 4 deg C	PSEG05	E11	OR-03-051121	05/11/2021	9095B
05/11/2021	Solid	M2361-01	Paint Filter	Cool 4 deg C	PSEG05	E12	CL-02-051121	05/11/2021	9095B
05/10/2021	Solid	M2364-01	Paint Filter	Cool 4 deg C	ENTA05	P23	AST2-COPR4-1	05/10/2021	9095B

Date/Time 05/12/21 09:45
 Raw Sample Received by: KS (Webster)
 Raw Sample Relinquished by: SP (Webster)

Date/Time 05/12/21 10:35
 Raw Sample Received by: SP (Webster)
 Raw Sample Relinquished by: KS (Webster)