



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 5/24/2021

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 05/13/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:26  
Out Date: 05/14/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB114436

| Lab ID    | Client SampleID   | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments        |
|-----------|-------------------|--------|-----------------|--------------------------|----------------------------|---------|-----------------|
| M2383-01  | KSB-01 (6-8)      | 1      | 1.15            | 9.61                     | 8.47                       | 86.5    |                 |
| M2383-02  | KSB-02 (7.5-9.5)  | 2      | 1.13            | 9.82                     | 7.4                        | 72.2    |                 |
| M2383-03  | KSB-03 (7-9)      | 3      | 1.16            | 9.71                     | 8.79                       | 89.2    |                 |
| M2383-04  | M2383-03MS        | 4      | 1.16            | 9.71                     | 8.79                       | 89.2    |                 |
| M2383-05  | M2383-03MSD       | 5      | 1.16            | 9.71                     | 8.79                       | 89.2    |                 |
| M2383-06  | DUP-01-05112021   | 6      | 1.13            | 9.66                     | 7.15                       | 70.6    |                 |
| M2385-01  | 33077             | 10     | 1.00            | 2.00                     | 2.00                       | 100.0   | gasoline        |
| M2385-02  | 32798             | 11     | 1.00            | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS     |
| M2386-01  | 32519             | 12     | 1.12            | 9.56                     | 8.65                       | 89.2    |                 |
| M2387-01  | 41789             | 15     | 1.12            | 9.54                     | 9.49                       | 99.4    |                 |
| M2387-02  | 30782             | 16     | 1.00            | 2.00                     | 2.00                       | 100.0   | OILY DEBRIS     |
| M2388-01  | 41785-LIGHT       | 17     | 1.00            | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE      |
| M2388-03  | 41785-DARK        | 18     | 1.00            | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE      |
| M2388-05  | 41786-LIGHT       | 19     | 1.00            | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE      |
| M2388-07  | 41786-DARK        | 20     | 1.00            | 2.00                     | 2.00                       | 100.0   | OIL SAMPLE      |
| M2389-01  | BURNETT-AVE-1-3   | 41     | 1.15            | 9.95                     | 9.34                       | 93.1    |                 |
| M2389-02  | BURNETT-AVE-1-3   | 42     | 1.16            | 9.98                     | 9.11                       | 90.1    |                 |
| M2389-03  | BURNETT-AVE-4-6   | 43     | 1.15            | 9.55                     | 8.65                       | 89.3    |                 |
| M2389-04  | BURNETT-AVE-4-6   | 44     | 1.16            | 9.62                     | 8.75                       | 89.7    |                 |
| M2389-05  | CASINO-AVE-1-2    | 45     | 1.19            | 9.57                     | 8.64                       | 88.9    |                 |
| M2389-06  | CASINO-AVE-1-2    | 46     | 1.12            | 9.81                     | 8.69                       | 87.1    |                 |
| M2389-07  | CASINO-AVE-4-6    | 47     | 1.12            | 9.92                     | 8.17                       | 80.1    |                 |
| M2389-08  | CASINO-AVE-4-6    | 48     | 1.16            | 9.79                     | 8.2                        | 81.6    |                 |
| M2389-08D | CASINO-AVE-4-6DUP | 49     | 1.17            | 9.81                     | 8.22                       | 81.6    |                 |
| M2390-01  | 01-A-01-B-01-C    | 7      | 1.00            | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE |
| M2390-02  | 02-A-02-B-02-C    | 8      | 1.00            | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE |
| M2390-03  | 03-A-03-B-03-C    | 9      | 1.00            | 2.00                     | 2.00                       | 100.0   | CAULKING SAMPLE |
| M2391-01  | HEF239Y-2-1       | 21     | 1.00            | 2.00                     | 2.00                       | 100.0   | PILC REEL       |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 5/24/2021

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 05/13/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:26  
Out Date: 05/14/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB114436

| Lab ID    | Client SampleID   | Dish # | Dish Wt(g) (A) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments  |
|-----------|-------------------|--------|----------------|-------------------------|---------------------------|---------|-----------|
| M2391-02  | HEF239Y-2-2       | 22     | 1.00           | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| M2391-03  | HEF239Y-3-1       | 23     | 1.00           | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| M2391-04  | HEF239Y-3-2       | 24     | 1.00           | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| M2392-01  | SB-01-3.5-4.0     | 25     | 1.16           | 9.74                    | 8.73                      | 88.2    |           |
| M2392-02  | SB-01-COMP        | 26     | 1.13           | 9.78                    | 8.74                      | 88.0    |           |
| M2392-04  | SB-02-3.5-4.0     | 27     | 1.16           | 9.72                    | 8.4                       | 84.6    |           |
| M2392-05  | SB-02-COMP        | 28     | 1.12           | 9.97                    | 8.73                      | 86.0    |           |
| M2392-07  | SB-03-3.5-4.0     | 29     | 1.14           | 9.96                    | 8.76                      | 86.4    |           |
| M2392-08  | SB-03-COMP        | 30     | 1.16           | 9.61                    | 8.35                      | 85.1    |           |
| M2392-10  | SB-04-4.5-5.0     | 31     | 1.18           | 9.95                    | 8.8                       | 86.9    |           |
| M2392-11  | SB-04-COMP        | 32     | 1.19           | 9.88                    | 8.96                      | 89.4    |           |
| M2392-13  | SB-05-4.0-4.5     | 33     | 1.15           | 9.79                    | 7.96                      | 78.8    |           |
| M2392-14  | SB-05-COMP        | 34     | 1.15           | 9.67                    | 7.87                      | 78.9    |           |
| M2392-16  | SB-06-4.5-5.0     | 35     | 1.17           | 9.89                    | 8.62                      | 85.4    |           |
| M2392-17  | SB-06-COMP        | 36     | 1.15           | 9.96                    | 8.53                      | 83.8    |           |
| M2392-19  | SB-07-4.5-5.0     | 37     | 1.16           | 9.72                    | 8.81                      | 89.4    |           |
| M2392-20  | SB-07-COMP        | 38     | 1.13           | 9.88                    | 8.99                      | 89.8    |           |
| M2392-22  | SB-08-3.5-4.0     | 39     | 1.18           | 9.66                    | 8.81                      | 90.0    |           |
| M2392-23  | SB-08-COMP        | 40     | 1.12           | 9.56                    | 8.78                      | 90.8    |           |
| M2403-01  | PE-5- (5-5.5)     | 13     | 1.14           | 9.54                    | 7.92                      | 80.7    |           |
| M2403-01D | PE-5- (5-5.5) DUP | 14     | 1.16           | 9.56                    | 7.95                      | 80.8    |           |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

VB114436

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-051321      WorkList ID : 148850      Department : Wet-Chemistry      Date : 05-13-2021 08:26:58

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 05/14/2021 | Solid  | M2390-01 | Percent Solids | Cool 4 deg C | BSIG01   | P31                         | 01-A-01-B-01-C  | 05/13/2021   | Chemtech -SO |
| 05/14/2021 | Solid  | M2390-02 | Percent Solids | Cool 4 deg C | BSIG01   | P31                         | 02-A-02-B-02-C  | 05/13/2021   | Chemtech -SO |
| 05/14/2021 | Solid  | M2390-03 | Percent Solids | Cool 4 deg C | BSIG01   | P31                         | 03-A-03-B-03-C  | 05/13/2021   | Chemtech -SO |
| 05/18/2021 | Solid  | M2403-01 | Percent Solids | Cool 4 deg C | DEWB01   | E22                         | PE-5-(5-5-5)    | 05/12/2021   | Chemtech -SO |
| 05/21/2021 | Solid  | M2383-01 | Percent Solids | Cool 4 deg C | GEIC06   | P32                         | KSB-01(6-8)     | 05/11/2021   | Chemtech -SO |
| 05/21/2021 | Solid  | M2383-02 | Percent Solids | Cool 4 deg C | GEIC06   | P32                         | KSB-02(7.5-9.5) | 05/11/2021   | Chemtech -SO |
| 05/21/2021 | Solid  | M2383-03 | Percent Solids | Cool 4 deg C | GEIC06   | P32                         | KSB-03(7-9)     | 05/11/2021   | Chemtech -SO |
| 05/21/2021 | Solid  | M2383-04 | Percent Solids | Cool 4 deg C | GEIC06   | P32                         | M2383-03MS      | 05/11/2021   | Chemtech -SO |
| 05/21/2021 | Solid  | M2383-05 | Percent Solids | Cool 4 deg C | GEIC06   | P32                         | M2383-03MSD     | 05/11/2021   | Chemtech -SO |
| 05/21/2021 | Solid  | M2383-06 | Percent Solids | Cool 4 deg C | GEIC06   | P32                         | DUP-01-05112021 | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-23 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-08-COMP      | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-14 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-05-COMP      | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-16 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-06-4.5-5.0   | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-17 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-06-COMP      | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-19 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-07-4.5-5.0   | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-20 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-07-COMP      | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-22 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-08-3.5-4.0   | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-05 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-02-COMP      | 05/12/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-07 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-03-3.5-4.0   | 05/12/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-08 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-03-COMP      | 05/12/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-10 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-04-4.5-5.0   | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-11 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-04-COMP      | 05/11/2021   | Chemtech -SO |

Date/Time 05-13-21 15:40      Date/Time 05-13-21 17:10  
 Raw Sample Received by: JP (get Ocm)      Raw Sample Received by: CP SM  
 Raw Sample Relinquished by: CP SM      Raw Sample Relinquished by: JP (get Ocm)

# WORKLIST(Hardcopy Internal Chain)

20114436

WorkList Name : %1-051321 WorkList ID : 148850 Department : Wet-Chemistry Date : 05-13-2021 08:26:58

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 05/20/2021 | Solid  | M2392-13 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-05-4.0-4.5   | 05/11/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-01 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-01-3.5-4.0   | 05/12/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-02 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-01-COMP      | 05/12/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2392-04 | Percent Solids | Cool 4 deg C | LIRO01   | P32                         | SB-02-3.5-4.0   | 05/12/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2385-01 | Percent Solids | Cool 4 deg C | PSEG03   | E21                         | 33077           | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2385-02 | Percent Solids | Cool 4 deg C | PSEG03   | E21                         | 32798           | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2386-01 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | 32519           | 05/13/2021   | Chemtech -SO |
| 05/17/2021 | Solid  | M2387-01 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | 41789           | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2387-02 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | 30782           | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2388-01 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | 41785-LIGHT     | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2391-02 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | HEF239Y-2-2     | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2391-03 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | HEF239Y-3-1     | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2391-04 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | HEF239Y-3-2     | 05/13/2021   | Chemtech -SO |
| 05/17/2021 | Solid  | M2389-04 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | BURNETT-AVE-4-6 | 05/13/2021   | Chemtech -SO |
| 05/17/2021 | Solid  | M2389-05 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | CASINO-AVE-1-2  | 05/13/2021   | Chemtech -SO |
| 05/17/2021 | Solid  | M2389-06 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | CASINO-AVE-1-2  | 05/13/2021   | Chemtech -SO |
| 05/17/2021 | Solid  | M2389-07 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | CASINO-AVE-4-6  | 05/13/2021   | Chemtech -SO |
| 05/17/2021 | Solid  | M2389-08 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | CASINO-AVE-4-6  | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2391-01 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | HEF239Y-2-1     | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2388-03 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | 41785-DARK      | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2388-05 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | 41786-LIGHT     | 05/13/2021   | Chemtech -SO |
| 05/20/2021 | Solid  | M2388-07 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | 41786-DARK      | 05/13/2021   | Chemtech -SO |

Date/Time 05/13/21 15:40 Date/Time 05-13-21 17:10  
 Raw Sample Received by: JD Wet-Chem Raw Sample Received by: CP SM  
 Raw Sample Relinquished by: CP SM Raw Sample Relinquished by: JD Wet-Chem

18112436

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-051321      WorkList ID : 148850      Department : Wet-Chemistry      Date : 05-13-2021 08:26:58

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 05/17/2021 | Solid  | M2389-01 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | BURNETT-AVE-1-3 | 05/13/2021   | Chemtech -SO |
| 05/17/2021 | Solid  | M2389-02 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | BURNETT-AVE-1-3 | 05/13/2021   | Chemtech -SO |
| 05/17/2021 | Solid  | M2389-03 | Percent Solids | Cool 4 deg C | PSEG03   | E22                         | BURNETT-AVE-4-6 | 05/13/2021   | Chemtech -SO |

Date/Time      05-13-21      1540  
 Raw Sample Received by:      JD Gentry  
 Raw Sample Relinquished by:      CP SM

Date/Time      05-13-21      1710  
 Raw Sample Received by:      CP SM  
 Raw Sample Relinquished by:      JD Gentry