



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 5/17/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 05/14/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 05/15/2021
Weight Check 1.0g: 0.01
Weight Check 10g: 1.00
BalanceID: M SC-4
Thermometer ID: %solids-oven

QC:LB114474

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2363-01	W1 (WINDROW-LEFT-OF-ENTRANCE)	18	1.15	9.96	9.34	93.0	
M2363-02	W2 (WINDROW-MIDDLE)	19	1.16	9.56	8.48	87.1	
M2363-03	W3 (WINDROW-RIGHT)	20	1.15	9.96	9.09	90.1	
M2363-04	X2 (TOPSOIL-PILE)	21	1.16	9.79	8.92	89.9	
M2363-05	Z1 (WINDROW-1-ABOVE)	22	1.15	9.73	9.22	94.1	
M2363-06	Z2 (WINDROW-2-ABOVE)	23	1.16	9.85	9.08	91.1	
M2363-07	Z3 (WINDROW-3-ABOVE)	24	1.19	9.84	9.41	95.0	
M2363-08	X3 (TOPSOIL-PILE)	25	1.13	9.66	9.14	93.9	
M2404-01	600494644	1	1.19	9.72	9.05	92.1	
M2404-02	600494644	2	1.15	9.56	8.84	91.4	
M2404-02D	600494644DUP	3	1.18	9.58	8.86	91.4	
M2406-05	SVOC-GPC-BLANK	4	1.00	2.00	2.00	100.0	
M2406-06	PEST-GPC-BLANK	5	1.00	2.00	2.00	100.0	
M2406-07	PEST-GPC-BLANK-SPIKE	6	1.00	2.00	2.00	100.0	
M2406-08	PCB-GPC-BLANK	7	1.00	2.00	2.00	100.0	
M2406-09	PCB-GPC-BLANK-SPIKE	8	1.00	2.00	2.00	100.0	
M2406-10	SVOC-GPC2-BLANK	9	1.00	2.00	2.00	100.0	
M2406-11	PEST-GPC2-BLANK	10	1.00	2.00	2.00	100.0	
M2406-12	PEST-GPC2-BLANK-SPIKE	11	1.00	2.00	2.00	100.0	
M2406-13	PCB-GPC2-BLANK	12	1.00	2.00	2.00	100.0	
M2406-14	PCB-GPC2-BLANK-SPIKE	13	1.00	2.00	2.00	100.0	
M2406-15	FLORISIL-CHECK	14	1.00	2.00	2.00	100.0	
M2409-01	BACKFILL-ASHCROFT-REAR-06	15	1.15	9.96	9.44	94.1	
M2411-11	BP-VPB-RW8-GW-798-800	16	1.15	9.98	1.98	9.4	SLUDGE SAMPLE
M2411-12	BP-VPB-RW8-GW-818-820	17	1.15	9.95	2.89	19.8	SLUDGE SAMPLE
M2413-01	124035	26	1.13	9.69	5.07	46.0	GEL MATRIX
M2413-03	124027	27	1.15	9.51	8.18	84.1	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 5/17/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 05/14/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 05/15/2021
Weight Check 1.0g: 0.01
Weight Check 10g: 1.00
BalanceID: M SC-4
Thermometer ID: %solids-oven

QC:LB114474

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2413-05	124055	28	1.1	9.87	8.41	83.4	
M2415-01	124042	29	1.00	2.00	2.00	100.0	STONE SAMPLE,100% SOLIDS

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$