



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114498

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2404-02	600494644	1	100.03	0.00	05/17/2021	13:40
2	M2404-02DUP	600494644DUP	1	100.02	0.00	05/17/2021	13:48
3	M2413-01	124035	1	100.01	0.00	05/17/2021	13:55
4	M2413-03	124027	1	100.05	0.00	05/17/2021	14:05
5	M2413-05	124055	1	100.04	0.00	05/17/2021	14:15
6	M2415-01	124042	1	100.02	0.00	05/17/2021	14:25

WORKLIST(Hardcopy Internal Chain)

LB114498

WorkList Name : PF51721

WorkList ID : 148999

Department : Wet-Chemistry

Date : 05-17-2021 13:28:49

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
05/14/2021	Solid	M2404-02	Paint Filter	Cool 4 deg C	PSEG03	E31	600494644	05/14/2021	9095B
05/14/2021	Solid	M2413-01	Paint Filter	Cool 4 deg C	PSEG03	E31	124035	05/14/2021	9095B
05/14/2021	Solid	M2413-03	Paint Filter	Cool 4 deg C	PSEG03	E31	124027	05/14/2021	9095B
05/14/2021	Solid	M2413-05	Paint Filter	Cool 4 deg C	PSEG03	E31	124055	05/14/2021	9095B
05/14/2021	Solid	M2415-01	Paint Filter	Cool 4 deg C	PSEG03	E31	124042	05/14/2021	9095B

Date/Time 05/17/21 13:30
 Raw Sample Received by: KS (Weber)
 Raw Sample Relinquished by: KS (Weber)

Date/Time 05/17/21 14:30
 Raw Sample Received by: RJ (EAT-1066)
 Raw Sample Relinquished by: KS (Weber)