



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114564

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2457-02	TP-4	1	100.03	0.00	05/20/2021	10:40
2	M2457-02DUP	TP-4DUP	1	100.02	0.00	05/20/2021	10:48
3	M2468-01	1-5-TP	1	100.01	0.00	05/20/2021	10:55

WORKLIST(Hardcopy Internal Chain)

LB114564

WorkList Name : pf52021 WorkList ID : 149098 Department : Wet-Chemistry Date : 05-20-2021 09:02:55

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
05/19/2021	Solid	M2457-02	Paint Filter	Cool 4 deg C	PSEG03	E42	TP-4	05/19/2021	9095B
05/19/2021	Solid	M2468-01	Paint Filter	Cool 4 deg C	PSEG03	E42	1-5-TP	05/19/2021	9095B

Date/Time 05/20/21 10:30
 Raw Sample Received by: KS (wekchen)
 Raw Sample Relinquished by: RJ (FET-1066)

Date/Time 05/20/21 11:00
 Raw Sample Received by: RJ (FET-1066)
 Raw Sample Relinquished by: KS (wekchen)