



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB114616

Reviewed By: ketankumar
Supervisor Review By: apatel
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M2500-01	NB-08-052421	1	100.02	0.00	05/25/2021	10:05
2	M2500-01DUP	NB-08-052421DUP	1	100.01	0.00	05/25/2021	10:15
3	M2502-01	SA-01-052421	1	100.04	0.00	05/25/2021	10:22
4	M2503-01	OK-01-052421	1	100.03	0.00	05/25/2021	10:30

WORKLIST(Hardcopy Internal Chain)

AB114616

WorkList Name : PF52521 WorkList ID : 149206 Department : Wet-Chemistry Date : 05-25-2021 09:51:45

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
05/24/2021	Solid	M2500-01	Paint Filter	Cool 4 deg C	PSEG05	F61	NB-08-052421	05/24/2021	9095B
05/24/2021	Solid	M2502-01	Paint Filter	Cool 4 deg C	PSEG05	F61	SA-01-052421	05/24/2021	9095B
05/24/2021	Solid	M2503-01	Paint Filter	Cool 4 deg C	PSEG05	F61	OK-01-052421	05/24/2021	9095B

Date/Time 05/25/21 09:55
 Raw Sample Received by: RS (Welch)
 Raw Sample Relinquished by: RC (Ext Lab)

Date/Time 05/25/21 10:35
 Raw Sample Received by: RC (Ext-Lab)
 Raw Sample Relinquished by: RS (Welch)