



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114687

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2551-01	JCSY-SP1	1	100.03	0.00	05/28/2021	11:55
2	M2551-01DUP	JCSY-SP1DUP	1	100.02	0.00	05/28/2021	12:05
3	M2551-05	JCSY-SP2	1	100.01	0.00	05/28/2021	12:15
4	M2551-09	JCSY-SP3	1	100.04	0.00	05/28/2021	12:22
5	M2560-01	S1-COMP-A-B-C-D	1	100.03	0.00	05/28/2021	12:30

WORKLIST(Hardcopy Internal Chain)

LB 114687

WorkList Name : pf52821

WorkList ID : 149316

Department : Wet-Chemistry

Date : 05-28-2021 09:07:28

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
05/27/2021	Solid	M2551-01	✓ Paint Filter	Cool 4 deg C	ENTA04	D62	JCSY-SP1	05/27/2021	9095B
05/27/2021	Solid	M2551-05	✓ Paint Filter	Cool 4 deg C	ENTA04	D62	JCSY-SP2	05/27/2021	9095B
05/27/2021	Solid	M2551-09	✓ Paint Filter	Cool 4 deg C	ENTA04	D62	JCSY-SP3	05/27/2021	9095B
05/27/2021	Solid	M2560-01	A Paint Filter	Cool 4 deg C	RAIL01	D62	S1-COMP-A-B-C-D	05/27/2021	9095B

Date/Time 05/28/21 11:45
 Raw Sample Received by: KS (Welch)
 Raw Sample Relinquished by: RJ (Ext. Lab)

Date/Time 05/28/21 12:35
 Raw Sample Received by: RJ (Ext. Lab)
 Raw Sample Relinquished by: KS (Welch)