



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114720

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2565-01	CL-02-052821	1	100.03	0.00	06/01/2021	13:40
2	M2565-01DUP	CL-02-052821DUP	1	100.02	0.00	06/01/2021	13:48
3	M2570-01	JGD-3150-D3550-A	1	100.04	0.00	06/01/2021	13:55
4	M2570-03	JGD-3150-D3550-B	1	100.01	0.00	06/01/2021	14:05

WORKLIST(Hardcopy Internal Chain)

LB114720

WorkList Name : PF6121

WorkList ID : 149389

Department : Wet-Chemistry

Date : 06-01-2021 09:24:07

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
05/28/2021	Solid	M2565-01	Paint Filter	Cool 4 deg C	PSEG05	E61	CL-02-052821	05/28/2021	9095B
04/16/2021	Solid	M2570-01	Paint Filter	Cool 4 deg C	TULL02	D62	JGD-3150-D3550-A	04/16/2021	9095B
04/16/2021	Solid	M2570-03	Paint Filter	Cool 4 deg C	TULL02	D62	JGD-3150-D3550-B	04/16/2021	9095B
04/16/2021	Solid	M2570-04	Paint Filter	Cool 4 deg C	TULL02	D62	JGD-3150-D3550-B	04/16/2021	9095B

Date/Time 06/01/21 13:30
 Raw Sample Received by: KS Gwetchen
 Raw Sample Relinquished by: KS Gwetchen

Date/Time 06/01/21 14:10
 Raw Sample Received by: KS Gwetchen
 Raw Sample Relinquished by: KS Gwetchen