



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 6/3/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:20
In Date: 06/02/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 06/04/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB114735

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2422-08	K328-12C	1	1.15	9.8	8.25	82.1	
M2422-11	K328-13C	2	1.14	9.93	8.66	85.6	
M2422-14	K328-14C	3	1.16	9.83	8.3	82.4	
M2422-17	K328-15C	4	1.12	9.54	8.02	81.9	
M2512-08	COMP-1-3	47	1.00	2.00	2.00	100.0	OIL SAMPLE
M2512-09	COMP-4-6	48	1.00	2.00	2.00	100.0	OIL SAMPLE
M2575-01	WASTE	5	1.14	9.51	9.04	94.4	
M2575-02	VOC	6	1.14	9.63	8.96	92.1	
M2575-03	1	7	1.16	9.76	9.28	94.4	
M2575-04	2	8	1.16	9.66	9.08	93.2	
M2575-05	3	9	1.13	9.59	9.3	96.6	
M2575-06	4	10	1.14	9.68	9.12	93.4	
M2575-07	5	11	1.15	9.96	9.38	93.4	
M2575-08	6	12	1.19	9.97	9.29	92.3	
M2578-01	WASTE-CLASS	13	1.12	9.54	9.06	94.3	
M2580-01	18-B1 (0-2)	14	1.14	9.61	8.38	85.5	
M2580-02	18-B1 (2-4)	15	1.15	9.98	8.51	83.4	
M2580-03	18-B1 (4-6)	16	1.12	9.54	7.95	81.1	
M2580-04	18-B2 (0-2)	17	1.11	9.88	8.86	88.4	
M2580-05	18-B2 (2-4)	18	1.13	9.95	9.4	93.8	
M2580-06	18-B2 (4-6)	19	1.12	9.72	8.96	91.2	
M2580-07	18-B3 (0-2)	20	1.16	9.56	8.8	91.0	
M2580-08	18-B3 (2-4)	21	1.14	9.64	9.08	93.4	
M2580-09	18-B3 (4-6)	22	1.15	9.63	8.5	86.7	
M2580-10	18-B4 (0-2)	23	1.13	9.9	9.22	92.2	
M2580-11	18-B4 (2-4)	24	1.15	9.96	8.8	86.8	
M2580-12	18-B4 (4-6)	25	1.12	9.59	8.44	86.4	
M2580-13	18-B5 (0-2)	26	1.15	9.6	8.25	84.0	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 6/3/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:20
In Date: 06/02/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 06/04/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB114735

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2580-14	18-B5 (2-4)	27	1.15	9.93	9.34	93.3	
M2580-15	18-B5 (4-6)	28	1.12	9.88	9.2	92.2	
M2580-16	18-B6 (0-6)	29	1.1	9.68	8.86	90.4	
M2580-17	18-B6 (6-12)	30	1.15	9.55	8.32	85.4	
M2581-01	TR-05-060221	43	1.15	9.94	9.37	93.5	
M2581-02	TR-05-060221-EPH-2	44	1.15	9.51	8.89	92.6	
M2582-01	RO-1-VNJ-201	45	1.11	9.81	8.85	89.0	
M2582-02	RO-1-VNJ-201-EPH-2	46	1.18	9.97	9.28	92.2	
M2583-01	39-41S	49	1.15	9.73	6.7	64.7	SLUDGE SAMPLE
M2583-02	54-57S	50	1.14	9.92	3.58	27.8	SLUDGE SAMPLE
M2583-03	41122	51	1.00	2.00	2.00	100.0	CLOTH SAMPLE
M2583-04	40955	52	1.14	9.58	8.78	90.5	
M2583-05	30785	53	1.15	9.67	9.17	94.1	
M2584-01	EO-02-060221	54	1.15	9.6	8.29	84.5	
M2584-02	EO-02-060221-EPH-2	55	1.16	9.88	8.69	86.4	
M2584-03	EO-03-060221	56	1.00	2.00	2.00	100.0	CLOTH SAMPLE
M2584-04	EO-03-060221-EPH-2	57	1.15	9.96	8.35	81.7	
M2585-01	ETGI-363	31	1.16	9.74	9.5	97.2	
M2585-02	ETGI-363	32	1.11	9.74	9.28	94.7	
M2585-02D	ETGI-363DUP	33	1.13	9.74	9.29	94.8	
M2587-01	FK-GF-02-073-A	34	1.15	9.67	8.59	87.3	
M2587-02	FK-GF-02-073-A	35	1.18	9.71	8.71	88.3	
M2587-03	FK-GF-02-073-B	36	1.13	9.61	8.64	88.6	
M2587-04	FK-GF-02-073-B	37	1.16	9.95	9.00	89.2	
M2588-01	FK-GF-02-074-A	38	1.16	9.56	8.67	89.4	
M2588-02	FK-GF-02-074-A	39	1.14	9.9	8.9	88.6	
M2588-03	FK-GF-02-074-B	40	1.11	9.81	8.75	87.8	
M2588-03D	FK-GF-02-074-BDUP	41	1.14	9.82	8.78	88.0	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 6/3/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:20
In Date: 06/02/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 06/04/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB114735

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2588-04	FK-GF-02-074-B	42	1.1	9.8	8.77	88.2	
M2590-01	JTY-FTS	58	1.15	9.82	2.67	17.5	SLUDGE SAMPLE
M2591-01	S-1	59	1.13	9.79	8.85	89.1	
M2591-01D	S-1DUP	60	1.14	9.84	8.87	88.9	
M2591-02	S-1A	61	1.14	9.8	8.96	90.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$