



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 6/5/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 06/04/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 06/05/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB114774

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2603-01	FAM4-WC1	1	1.13	9.53	6.63	65.5	
M2603-05	FAM4-WC2	2	1.14	9.57	8.03	81.7	
M2603-09	FAM4-WC3	3	1.17	9.64	8.88	91.0	
M2603-13	FAM4-WC4	4	1.18	9.97	8.12	79.0	
M2603-17	FAM4-WC5	5	1.16	9.91	8.43	83.1	
M2603-21	FAM4-WC6	6	1.14	9.79	9.00	90.9	
M2603-25	FAM4-WC7	7	1.16	9.98	9.3	92.3	
M2612-01	18-B12 (6-10)	8	1.15	9.7	8.84	89.9	
M2612-02	18-B12 (10-14)	9	1.14	9.98	8.24	80.3	
M2612-03	18-B12 (14-18)	10	1.15	9.96	8.19	79.9	
M2612-04	18-B12 (18-22)	11	1.16	9.9	7.52	72.8	
M2612-05	18-B12 (22-26)	12	1.14	9.92	7.82	76.1	
M2612-06	18-B12 (26-30)	13	1.13	9.52	7.6	77.1	
M2612-07	18-B12 (30-34)	14	1.14	9.73	7.12	69.6	
M2612-08	18-B12 (34-38)	15	1.14	9.98	7.47	71.6	
M2612-09	18-B12 (38-42)	16	1.14	9.9	7.93	77.5	
M2612-10	18-B12 (42-46)	17	1.15	9.87	8.8	87.7	
M2612-11	18-B12 (46-50)	18	1.13	9.68	8.69	88.4	
M2612-12	18-B12 (50-54)	19	1.14	9.88	8.9	88.8	
M2612-13	18-B12 (54-58)	20	1.13	9.96	9.00	89.1	
M2612-14	18-B12 (58-62)	21	1.14	9.98	9.3	92.3	
M2612-15	18-B12 (62-66)	22	1.15	9.97	9.07	89.8	
M2612-16	18-B12 (66-70)	23	1.14	9.87	8.92	89.1	
M2612-17	18-B12 (70-74)	24	1.15	9.82	8.9	89.4	
M2612-18	18-B12 (74-78)	25	1.14	9.97	9.32	92.6	
M2612-19	18-B12 (78-82)	26	1.14	9.81	8.92	89.7	
M2612-20	18-B12 (82-86)	27	1.14	9.92	8.93	88.7	
M2613-01	18-B12 (86-90)	28	1.16	9.86	8.97	89.8	



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 6/5/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 06/04/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 06/05/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB114774

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2613-02	18-B12 (90-94)	29	1.13	9.98	9.14	90.5	
M2613-03	18-B12 (94-98)	30	1.14	9.96	9.08	90.0	
M2613-04	18-B12 (98-102)	31	1.14	9.58	8.67	89.2	
M2613-05	18-B12 (102-106)	32	1.15	9.97	8.97	88.7	
M2613-06	18-B12 (106-110)	33	1.14	9.73	8.8	89.2	
M2613-07	18-B12 (110-114)	34	1.13	9.88	8.9	88.8	
M2613-08	18-B12 (114-118)	35	1.13	9.95	9.06	89.9	
M2613-09	18-B12 (118-122)	36	1.16	9.94	9.11	90.5	
M2613-10	18-B12 (122-126)	37	1.14	9.97	8.95	88.4	
M2613-11	18-B12 (126-130)	38	1.13	9.98	9.33	92.7	
M2613-12	18-B12 (130-134)	39	1.14	9.8	8.82	88.7	
M2613-13	18-B12 (134-138)	40	1.13	9.61	8.36	85.3	
M2616-01	BSS-SOIL-PILE	51	1.15	9.96	8.66	85.2	
M2616-02	BSS-SOIL-PILE-EPH-2	52	1.15	9.92	8.78	87.0	
M2620-05	SVOC-GPC-BLANK	41	1.00	2.00	2.00	100.0	
M2620-06	PEST-GPC-BLANK	42	1.00	2.00	2.00	100.0	
M2620-07	PEST-GPC-BLANK-SPIKE	43	1.00	2.00	2.00	100.0	
M2620-08	PCB-GPC-BLANK	44	1.00	2.00	2.00	100.0	
M2620-09	PCB-GPC-BLANK-SPIKE	45	1.00	2.00	2.00	100.0	
M2620-10	SVOC-GPC2-BLANK	46	1.00	2.00	2.00	100.0	
M2620-11	PEST-GPC2-BLANK	47	1.00	2.00	2.00	100.0	
M2620-12	PEST-GPC2-BLANK-SPIKE	48	1.00	2.00	2.00	100.0	
M2620-13	PCB-GCP2-BLANK	49	1.00	2.00	2.00	100.0	
M2620-14	PCB-GCP2-BLANK-SPIKE	50	1.00	2.00	2.00	100.0	
M2623-01	S-1	53	1.14	9.54	8.66	89.5	
M2623-02	S-2	54	1.16	9.76	9.02	91.4	
M2623-03	S-3	55	1.14	9.85	9.00	90.2	
M2623-04	S-4	56	1.15	9.97	9.04	89.5	



PERCENT SOLID

Supervisor: ketankumar
Analyst: jignesh
Date: 6/5/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 06/04/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 06/05/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB114774

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2623-05	S-5	57	1.11	9.76	8.76	88.4	
M2623-06	S-6	58	1.14	9.76	8.93	90.4	
M2623-07	S-7	59	1.13	9.5	8.08	83.0	
M2623-08	S-8	60	1.16	9.52	8.69	90.1	
M2623-09	S-9	61	1.16	9.98	9.44	93.9	
M2623-10	S-10	62	1.1	9.96	8.74	86.2	
M2623-11	S-11	63	1.13	9.53	8.71	90.2	
M2623-12	S-12	64	1.15	9.95	9.17	91.1	
M2623-13	S-13	65	1.17	9.98	9.16	90.7	
M2624-01	G-1	66	1.16	9.65	8.32	84.3	
M2624-01D	G-1DUP	67	1.16	9.67	8.35	84.5	
M2624-02	G-1A	68	1.11	9.6	8.36	85.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$