



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114956

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2707-02	VNJ-216	1	100.03	0.00	06/15/2021	10:55
2	M2707-02DUP	VNJ-216DUP	1	100.02	0.00	06/15/2021	11:05

WORKLIST(Hardcopy Internal Chain)

LB114956

WorkList Name : pf61521 WorkList ID : 149850 Department : Wet-Chemistry Date : 06-15-2021 09:03:52

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
06/14/2021	Solid	M2707-02	Paint Filter	Cool 4 deg C	PSEG03	G41	VNJ-216	06/14/2021	9095B

Date/Time 06/15/21 10:45
Raw Sample Received by: KS (Weber)
Raw Sample Relinquished by: JD (SM)

Date/Time 06/15/21 11:10
Raw Sample Received by: JD (SM)
Raw Sample Relinquished by: KS (Weber)