



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 6/16/2021

OVENTEMP IN Celsius(°C): 107  
Time IN: 16:40  
In Date: 06/15/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:10  
Out Date: 06/16/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB114965

| Lab ID   | Client SampleID | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments                |
|----------|-----------------|--------|-----------------|--------------------------|----------------------------|---------|-------------------------|
| M2711-01 | PE-1            | 1      | 1.15            | 9.98                     | 9.00                       | 88.9    |                         |
| M2711-02 | PE-2            | 2      | 1.15            | 9.95                     | 8.83                       | 87.3    |                         |
| M2711-03 | PE-3            | 3      | 1.12            | 9.63                     | 8.93                       | 91.8    |                         |
| M2711-04 | PE-4            | 4      | 1.16            | 9.62                     | 7.91                       | 79.8    |                         |
| M2711-05 | PE-B            | 5      | 1.13            | 9.97                     | 8.73                       | 86.0    |                         |
| M2714-01 | 33241           | 41     | 1.00            | 2.00                     | 2.00                       | 100.0   | DEBRIS                  |
| M2715-01 | 33248           | 42     | 1.15            | 9.71                     | 9.7                        | 99.9    |                         |
| M2715-03 | 33258           | 43     | 1.00            | 2.00                     | 2.00                       | 100.0   | gasoline                |
| M2716-01 | 33254           | 44     | 1.11            | 9.72                     | 9.2                        | 94.0    |                         |
| M2718-01 | WA-1            | 12     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-02 | WA-2            | 13     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-03 | WA-3            | 14     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-04 | WA-4            | 15     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-05 | WA-5            | 16     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-06 | WA-6            | 17     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-07 | WA-7            | 18     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-08 | WA-8            | 19     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-09 | WA-9            | 20     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-10 | WA-10           | 21     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-11 | WA-11           | 22     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-12 | WA-12           | 23     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-13 | WA-13           | 24     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-14 | WA-14           | 25     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-15 | WA-15           | 26     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-16 | WA-16           | 27     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-17 | WA-17           | 28     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-18 | WA-18           | 29     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-19 | WA-19           | 30     | 1.00            | 2.00                     | 2.00                       | 100.0   | WIPE SAMPLE,100% SOLIDS |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 6/16/2021

OVENTEMP IN Celsius(°C): 107  
Time IN: 16:40  
In Date: 06/15/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:10  
Out Date: 06/16/2021  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB114965

| Lab ID    | Client SampleID       | Dish # | Dish Wt(g) (A) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments                |
|-----------|-----------------------|--------|----------------|-------------------------|---------------------------|---------|-------------------------|
| M2718-20  | WA-20                 | 31     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-21  | WA-21                 | 32     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-22  | WA-22                 | 33     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-23  | WA-23                 | 34     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-24  | WA-24                 | 35     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-25  | WA-25                 | 36     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-26  | WA-26                 | 37     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-27  | WA-27                 | 38     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-28  | WA-28                 | 39     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2718-29  | WA-29                 | 40     | 1.00           | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE,100% SOLIDS |
| M2719-01  | OK-03-061521          | 6      | 1.12           | 9.55                    | 9.22                      | 96.1    |                         |
| M2719-02  | OK-03-061521-EPH-2    | 7      | 1.13           | 9.89                    | 9.57                      | 96.3    |                         |
| M2722-01  | P001-SS181-0001-01    | 8      | 1.16           | 9.74                    | 8.96                      | 90.9    |                         |
| M2722-02  | P001-SS181-0001-02    | 9      | 1.19           | 9.72                    | 8.83                      | 89.6    |                         |
| M2722-03  | P001-SS182-0001-01    | 10     | 1.12           | 9.66                    | 8.81                      | 90.0    |                         |
| M2722-03D | P001-SS182-0001-01DUP | 11     | 1.12           | 9.68                    | 8.85                      | 90.3    |                         |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

18 114965

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-061521      WorkList ID : 149840      Department : Wet-Chemistry      Date : 06-15-2021 08:32:58

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|-----------------|--------------|--------------|
| 06/21/2021 | Solid  | M2711-01 | Percent Solids | Cool 4 deg C | PENN11   | F62                         | PE-1            | 06/14/2021   | Chemtech -SO |
| 06/21/2021 | Solid  | M2711-02 | Percent Solids | Cool 4 deg C | PENN11   | F62                         | PE-2            | 06/14/2021   | Chemtech -SO |
| 06/21/2021 | Solid  | M2711-03 | Percent Solids | Cool 4 deg C | PENN11   | F62                         | PE-3            | 06/14/2021   | Chemtech -SO |
| 06/21/2021 | Solid  | M2711-04 | Percent Solids | Cool 4 deg C | PENN11   | F62                         | PE-4            | 06/14/2021   | Chemtech -SO |
| 06/21/2021 | Solid  | M2711-05 | Percent Solids | Cool 4 deg C | PENN11   | F62                         | PE-B            | 06/14/2021   | Chemtech -SO |
| 06/22/2021 | Solid  | M2714-01 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | 33241           | 06/15/2021   | Chemtech -SO |
| 06/22/2021 | Solid  | M2715-01 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | 33248           | 06/15/2021   | Chemtech -SO |
| 06/22/2021 | Solid  | M2715-03 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | 33258           | 06/15/2021   | Chemtech -SO |
| 06/22/2021 | Solid  | M2716-01 | Percent Solids | Cool 4 deg C | PSEG03   | G42                         | 33254           | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-01 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-1            | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-02 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-2            | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-03 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-3            | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-04 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-4            | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-05 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-5            | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-06 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-6            | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-07 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-7            | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-08 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-8            | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-09 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-9            | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-10 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-10           | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-11 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-11           | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-12 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-12           | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-13 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-13           | 06/15/2021   | Chemtech -SO |

Date/Time 06.15.21 16:10      Date/Time 06.15.21 17:15  
Raw Sample Received by: JD (at Chem)      Raw Sample Received by: J-C (sm)  
Raw Sample Relinquished by: J-C (sm)      Raw Sample Relinquished by: JD (at Chem)

187114965

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-061521

WorkList ID : 149840

Department : Wet-Chemistry

Date : 06-15-2021 08:32:58

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Raw Sample Storage Location | Customer Sample    | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|-----------------------------|--------------------|--------------|--------------|
| 06/16/2021 | Solid  | M2718-14 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-14              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-15 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-15              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-16 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-16              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-17 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-17              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-18 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-18              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-19 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-19              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-20 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-20              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-21 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-21              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-22 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-22              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-23 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-23              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-24 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-24              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-25 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-25              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-26 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-26              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-27 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-27              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-28 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-28              | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2718-29 | Percent Solids | Cool 4 deg C | PSEG03   | G41                         | WA-29              | 06/15/2021   | Chemtech -SO |
| 06/18/2021 | Solid  | M2719-01 | Percent Solids | Cool 4 deg C | PSEG05   | G42                         | OK-03-061521       | 06/15/2021   | Chemtech -SO |
| 06/18/2021 | Solid  | M2719-02 | Percent Solids | Cool 4 deg C | PSEG05   | G42                         | OK-03-061521-EPH-2 | 06/15/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2722-01 | Percent Solids | Cool 4 deg C | ROYF02   | F62                         | P001-SS181-0001-01 | 06/14/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2722-02 | Percent Solids | Cool 4 deg C | ROYF02   | F62                         | P001-SS181-0001-02 | 06/14/2021   | Chemtech -SO |
| 06/16/2021 | Solid  | M2722-03 | Percent Solids | Cool 4 deg C | ROYF02   | F62                         | P001-SS182-0001-01 | 06/14/2021   | Chemtech -SO |

Date/Time 06/15/21 16:10

Raw Sample Received by: JO

L.C. Song

Date/Time 06/15/21 17:15

Raw Sample Received by: L.C. Song

Raw Sample Relinquished by: JO