



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB114975

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	M2719-01	OK-03-061521	1	100.03	0.00	06/16/2021	11:02
2	M2719-01DUP	OK-03-061521DUP	1	100.02	0.00	06/16/2021	11:10

WORKLIST(Hardcopy Internal Chain)

LB 114975

WorkList Name : pf61621 WorkList ID : 149873 Department : Wet-Chemistry Date : 06-16-2021 09:03:49

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
06/15/2021	Solid	M2719-01	F Paint Filter	Cool 4 deg C	PSEG05	G42	OK-03-061521	06/15/2021	9095B

Date/Time 06/16/21 09:05
 Raw Sample Received by: KS (wetcher)
 Raw Sample Relinquished by: CS 5m

Date/Time 06/16/21 11:15
 Raw Sample Received by: CS 5m
 Raw Sample Relinquished by: KS (wetcher)