



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 7/1/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 16:59
In Date: 06/21/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 06/22/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115036

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2778-01	1	1	1.12	9.58	8.41	86.2	
M2778-02	2	2	1.15	9.96	8.82	87.1	
M2778-03	3	3	1.16	9.86	8.67	86.3	
M2778-04	4	4	1.12	9.63	8.89	91.3	
M2778-05	5	5	1.11	9.52	8.18	84.1	
M2778-06	6	6	1.13	9.85	8.86	88.6	
M2778-07	CF	7	1.17	9.71	9.37	96.0	
M2778-08	CF-VOC	8	1.15	9.62	9.22	95.3	
M2786-01	33250-OIL	23	1.00	2.00	2.00	100.0	OIL SAMPLE
M2788-01	41863	24	1.00	2.00	2.00	100.0	wipe sample
M2788-02	41864	25	1.00	2.00	2.00	100.0	wipe sample
M2788-03	41865	26	1.00	2.00	2.00	100.0	wipe sample
M2789-01	T-1	27	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-03	T-2	28	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-05	T-2-BESIDE	29	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-07	SHORT-PILLARS	30	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-09	TALL-PILLARS	31	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-11	CONCRETE-SLAB-1-1	32	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-13	CONCRETE-SLAB-1-2	33	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-15	CONCRETE-SLAB-2-1	34	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-17	CONCRETE-SLAB-2-2	35	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-19	CONCRETE-PAD	36	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-21	1ST-FLOOR	37	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-23	1ST-WALLS	38	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-25	2ND-FLOORS	39	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-27	2ND-WALLS	40	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-29	BASEMENT-FLOORS	41	1.00	2.00	2.00	100.0	CONCRETE SAMPLE
M2789-31	BASEMENT-WALLS	42	1.00	2.00	2.00	100.0	CONCRETE SAMPLE



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 7/1/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 16:59
In Date: 06/21/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 06/22/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115036

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M2790-01	SU-04-062121	43	1.13	9.71	9.34	95.7	
M2790-02	SU-04-062121-EPH-2	44	1.13	9.8	9.4	95.4	
M2792-01	01-A-01-B-01-C	9	1.00	2.00	2.00	100.0	CAULKING SAMPLE
M2792-02	02-A-02-B-02-C	10	1.00	2.00	2.00	100.0	CAULKING SAMPLE
M2793-02	SB-2	11	1.15	9.97	9.37	93.2	
M2793-03	SB-3	12	1.12	9.57	8.47	87.0	
M2793-03D	SB-3DUP	13	1.15	9.59	8.49	87.0	
M2793-04	SB-4	14	1.16	9.98	9.43	93.8	
M2793-05	SB-5	15	1.19	9.62	9.18	94.8	
M2794-01	15C-1	50	1.13	9.47	8.52	88.6	
M2794-02	DUP1	51	1.15	9.92	9.04	90.0	
M2794-04	16C-1	52	1.15	9.82	9.4	95.2	
M2794-06	17C-1	53	1.14	9.63	8.5	86.7	
M2794-08	18C-1	54	1.14	9.53	8.66	89.6	
M2794-10	19C-1	55	1.14	9.68	9.00	92.0	
M2795-01	B1-0-2	16	1.15	9.95	8.46	83.1	
M2795-02	B1-6-8	17	1.16	9.97	8.53	83.7	
M2795-03	B2-0-2	18	1.16	9.79	8.7	87.4	
M2795-04	B2-6-8	19	1.12	9.72	8.27	83.1	
M2795-05	B3-0-2	20	1.11	9.81	8.72	87.5	
M2795-06	B3-6-8	21	1.11	9.64	8.49	86.5	
M2795-07	B4-0-2	22	1.16	9.97	8.94	88.3	
M2800-01	BORING-ADDITION	45	1.16	9.51	8.3	85.5	
M2800-01D	BORING-ADDITIONDUP	46	1.15	9.53	8.33	85.7	
M2800-02	BORING-ADDITION	47	1.14	9.39	7.94	82.4	
M2801-01	S-1	48	1.14	9.53	9.12	95.1	
M2801-02	S-1A	49	1.13	9.91	9.47	95.0	

PERCENT SOLID

HB 115036

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-062121 WorkList ID : 149969 Department : Wet-Chemistry Date : 06-21-2021 08:25:44

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
06/25/2021	Solid	M2778-01	Percent Solids	Cool 4 deg C	RMJE02	H11	1	06/17/2021	Chemtech -SO
06/25/2021	Solid	M2778-02	Percent Solids	Cool 4 deg C	RMJE02	H11	2	06/17/2021	Chemtech -SO
06/25/2021	Solid	M2778-03	Percent Solids	Cool 4 deg C	RMJE02	H11	3	06/17/2021	Chemtech -SO
06/25/2021	Solid	M2778-04	Percent Solids	Cool 4 deg C	RMJE02	H11	4	06/17/2021	Chemtech -SO
06/25/2021	Solid	M2778-05	Percent Solids	Cool 4 deg C	RMJE02	H11	5	06/17/2021	Chemtech -SO
06/25/2021	Solid	M2778-06	Percent Solids	Cool 4 deg C	RMJE02	H11	6	06/17/2021	Chemtech -SO
06/25/2021	Solid	M2778-07	Percent Solids	Cool 4 deg C	RMJE02	H11	CF	06/17/2021	Chemtech -SO
06/25/2021	Solid	M2778-08	Percent Solids	Cool 4 deg C	RMJE02	H11	CF-VOC	06/17/2021	Chemtech -SO
06/28/2021	Solid	M2786-01	Percent Solids	Cool 4 deg C	PSEG03	J11	33250-OIL	06/21/2021	Chemtech -SO
06/28/2021	Solid	M2788-01	Percent Solids	Cool 4 deg C	PSEG03	J11	41863	06/21/2021	Chemtech -SO
06/28/2021	Solid	M2788-02	Percent Solids	Cool 4 deg C	PSEG03	J11	41864	06/21/2021	Chemtech -SO
06/28/2021	Solid	M2788-03	Percent Solids	Cool 4 deg C	PSEG03	J11	41865	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-01	Percent Solids	Cool 4 deg C	PSEG03	J12	T-1	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-03	Percent Solids	Cool 4 deg C	PSEG03	J12	T-2	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-05	Percent Solids	Cool 4 deg C	PSEG03	J12	T-2-BESIDE	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-07	Percent Solids	Cool 4 deg C	PSEG03	J12	SHORT-PILLARS	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-09	Percent Solids	Cool 4 deg C	PSEG03	J12	TALL-PILLARS	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-11	Percent Solids	Cool 4 deg C	PSEG03	J12	CONCRETE-SLAB-1-1	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-13	Percent Solids	Cool 4 deg C	PSEG03	J12	CONCRETE-SLAB-1-2	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-15	Percent Solids	Cool 4 deg C	PSEG03	J12	CONCRETE-SLAB-2-1	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-17	Percent Solids	Cool 4 deg C	PSEG03	J12	CONCRETE-SLAB-2-2	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-19	Percent Solids	Cool 4 deg C	PSEG03	J12	CONCRETE-PAD	06/21/2021	Chemtech -SO

Date/Time 06-21-21 15:40 Date/Time 06-21-21 17115
 Raw Sample Received by: JM (Wet Chem) Raw Sample Received by: CP SM
 Raw Sample Relinquished by: CP SM Raw Sample Relinquished by: JO (Wet Chem)

WB 115036

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-062121

WorkList ID : 149969

Department : Wet-Chemistry

Date : 06-21-2021 08:25:44

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
06/24/2021	Solid	M2789-21	Percent Solids	Cool 4 deg C	PSEG03	J12	1ST-FLOOR	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-23	Percent Solids	Cool 4 deg C	PSEG03	J12	1ST-WALLS	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-25	Percent Solids	Cool 4 deg C	PSEG03	J12	2ND-FLOORS	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-27	Percent Solids	Cool 4 deg C	PSEG03	J12	2ND-WALLS	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-29	Percent Solids	Cool 4 deg C	PSEG03	J12	BASEMENT-FLOORS	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2789-31	Percent Solids	Cool 4 deg C	PSEG03	J12	BASEMENT-WALLS	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2790-01	Percent Solids	Cool 4 deg C	PSEG05	J12	SU-04-062121	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2790-02	Percent Solids	Cool 4 deg C	PSEG05	J12	SU-04-062121-EPH-2	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2792-01	Percent Solids	Cool 4 deg C	BSIG01	J11	01-A-01-B-01-C	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2792-02	Percent Solids	Cool 4 deg C	BSIG01	J11	02-A-02-B-02-C	06/21/2021	Chemtech -SO
06/23/2021	Solid	M2793-02	Percent Solids	Cool 4 deg C	AEIC01	J11	SB-2	06/18/2021	Chemtech -SO
06/23/2021	Solid	M2793-03	Percent Solids	Cool 4 deg C	AEIC01	J11	SB-3	06/18/2021	Chemtech -SO
06/23/2021	Solid	M2793-04	Percent Solids	Cool 4 deg C	AEIC01	J11	SB-4	06/18/2021	Chemtech -SO
06/23/2021	Solid	M2793-05	Percent Solids	Cool 4 deg C	AEIC01	J11	SB-5	06/18/2021	Chemtech -SO
06/23/2021	Solid	M2794-01	Percent Solids	Cool 4 deg C	ATCE02	J11	15C-1	06/19/2021	Chemtech -SO
06/23/2021	Solid	M2794-02	Percent Solids	Cool 4 deg C	ATCE02	J11	DUP1	06/19/2021	Chemtech -SO
06/23/2021	Solid	M2794-04	Percent Solids	Cool 4 deg C	ATCE02	J11	16C-1	06/19/2021	Chemtech -SO
06/23/2021	Solid	M2794-06	Percent Solids	Cool 4 deg C	ATCE02	J11	17C-1	06/19/2021	Chemtech -SO
06/23/2021	Solid	M2794-08	Percent Solids	Cool 4 deg C	ATCE02	J11	18C-1	06/19/2021	Chemtech -SO
06/23/2021	Solid	M2794-10	Percent Solids	Cool 4 deg C	ATCE02	J11	19C-1	06/19/2021	Chemtech -SO
06/18/2021	Solid	M2795-01	Percent Solids	Cool 4 deg C	GFEL01	H12	B1-0-2	06/08/2021	Chemtech -SO
06/18/2021	Solid	M2795-02	Percent Solids	Cool 4 deg C	GFEL01	H12	B1-6-8	06/08/2021	Chemtech -SO

Date/Time 06/21/21 15:40

Date/Time 06/21/21 17:15

Raw Sample Received by: JD Jct Hnm

Raw Sample Received by: JQ Jct Hnm

Raw Sample Relinquished by: CJ Jct Hnm

Raw Sample Relinquished by: JQ Jct Hnm

115036
YB

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-062121

WorkList ID : 149969

Department : Wet-Chemistry

Date : 06-21-2021 08:25:44

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
06/18/2021	Solid	M2795-03	Percent Solids	Cool 4 deg C	GFEL01	H12	B2-0-2	6/18/21	Chemtech -SO
06/18/2021	Solid	M2795-04	Percent Solids	Cool 4 deg C	GFEL01	H12	B2-6-8	6/18/21	Chemtech -SO
06/18/2021	Solid	M2795-05	Percent Solids	Cool 4 deg C	GFEL01	H12	B3-0-2	6/18/21	Chemtech -SO
06/18/2021	Solid	M2795-06	Percent Solids	Cool 4 deg C	GFEL01	H12	B3-6-8	6/18/21	Chemtech -SO
06/18/2021	Solid	M2795-07	Percent Solids	Cool 4 deg C	GFEL01	H12	B4-0-2	6/18/21	Chemtech -SO
07/01/2021	Solid	M2800-01	Percent Solids	Cool 4 deg C	HOME01	H41	BORING-ADDITION	06/21/2021	Chemtech -SO
07/01/2021	Solid	M2800-02	Percent Solids	Cool 4 deg C	HOME01	H41	BORING-ADDITION	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2801-01	Percent Solids	Cool 4 deg C	EARTH03	J13	S-1	06/21/2021	Chemtech -SO
06/24/2021	Solid	M2801-02	Percent Solids	Cool 4 deg C	EARTH03	J13	S-1A	06/21/2021	Chemtech -SO

Date/Time 06/21/21 15:40

Raw Sample Received by: JO JOA (Hcm)

Raw Sample Relinquished by: CP sm

Date/Time 06/21/21 14:15

Raw Sample Received by: GP sm

Raw Sample Relinquished by: JO JOA (Hcm)