



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB115078

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M2810-01	NB-08-062221	1	100.02	0.00	06/24/2021	12:50
2	M2810-01DUP	NB-08-062221DUP	1	100.04	0.00	06/24/2021	12:58
3	M2811-01	HR-04-062221	1	100.03	0.00	06/24/2021	13:05
4	M2812-02	356-349	1	100.04	0.00	06/24/2021	13:15
5	M2812-05	293-347	1	100.06	0.00	06/24/2021	13:22
6	M2816-01	OK-02-062221	1	100.04	0.00	06/24/2021	13:30
7	M2819-01	CL-02-062321	1	100.03	0.00	06/24/2021	13:38
8	M2829-01	15B-STOCKPILE-1	1	100.01	0.00	06/24/2021	13:45
9	M2829-02	15B-STOCKPILE-2A	1	100.02	0.00	06/24/2021	13:52
10	M2829-03	15B-STOCKPILE-2B	1	100.03	0.00	06/24/2021	14:00
11	M2829-04	15B-STOCKPILE-3A	1	100.02	0.00	06/24/2021	14:08
12	M2829-05	15B-STOCKPILE-3B	1	100.02	0.00	06/24/2021	14:15
13	M2829-06	15B-DUP-01	1	100.04	0.00	06/24/2021	14:22
14	M2832-01	TP-3-WC	1	100.01	0.00	06/24/2021	14:30
15	M2842-01	BIN-2-72-11966-RB-21	1	100.05	0.00	06/24/2021	14:38
16	M2843-01	OR-02-062421	1	100.04	0.00	06/24/2021	14:45
17	M2852-01	MANHOLE-WC-S	1	100.06	0.00	06/24/2021	14:52
18	M2852-04	MANHOLE-WC-D	1	100.04	0.00	06/24/2021	15:00

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF62421 WorkList ID : 150083 Department : Wet-Chemistry Date : 06-24-2021 12:10:25

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
06/22/2021	Solid	M2810-01	Paint Filter	Cool 4 deg C	PSEG05	J12	NB-08-062221	06/22/2021	9095B
06/22/2021	Solid	M2811-01	Paint Filter	Cool 4 deg C	PSEG05	J12	HR-04-062221	06/22/2021	9095B
06/22/2021	Solid	M2812-02	Paint Filter	Cool 4 deg C	PSEG03	J12	356-349	06/22/2021	9095B
06/22/2021	Solid	M2812-05	Paint Filter	Cool 4 deg C	PSEG03	J12	293-347	06/22/2021	9095B
06/22/2021	Solid	M2816-01	Paint Filter	Cool 4 deg C	PSEG05	J12	OK-02-062221	06/22/2021	9095B
06/23/2021	Solid	M2819-01	Paint Filter	Cool 4 deg C	PSEG05	J21	CL-02-062321	06/23/2021	9095B
06/23/2021	Solid	M2829-01	Paint Filter	Cool 4 deg C	WALS01	J23	15B-STOCKPILE-1	06/23/2021	9095B
06/23/2021	Solid	M2829-02	Paint Filter	Cool 4 deg C	WALS01	J23	15B-STOCKPILE-2A	06/23/2021	9095B
06/23/2021	Solid	M2829-03	Paint Filter	Cool 4 deg C	WALS01	J23	15B-STOCKPILE-2B	06/23/2021	9095B
06/23/2021	Solid	M2829-04	Paint Filter	Cool 4 deg C	WALS01	J23	15B-STOCKPILE-3A	06/23/2021	9095B
06/23/2021	Solid	M2829-05	Paint Filter	Cool 4 deg C	WALS01	J23	15B-STOCKPILE-3B	06/23/2021	9095B
06/23/2021	Solid	M2829-06	Paint Filter	Cool 4 deg C	WALS01	J23	15B-DUP-01	06/23/2021	9095B
06/23/2021	Solid	M2832-01	Paint Filter	Cool 4 deg C	PSEG03	J22	TP-3-WC	06/23/2021	9095B
06/24/2021	Solid	M2842-01	Paint Filter	Cool 4 deg C	PSEG05	J23	BIN-2-72-11966-RB-2114	06/24/2021	9095B
06/24/2021	Solid	M2843-01	Paint Filter	Cool 4 deg C	PSEG05	J23	OR-02-062421	06/24/2021	9095B
06/23/2021	Solid	M2852-01	Paint Filter	Cool 4 deg C	PSEG03	J23	MANHOLE-WC-S	06/23/2021	9095B
06/23/2021	Solid	M2852-04	Paint Filter	Cool 4 deg C	PSEG03	J23	MANHOLE-WC-D	06/23/2021	9095B

Date/Time 06/24/21 12:40
 Raw Sample Received by: KS (Wetchem)
 Raw Sample Relinquished by: JH 04-12 (m)

Date/Time 06/24/21 15:05
 Raw Sample Received by: JH 04-12 (m)
 Raw Sample Relinquished by: KS (Wetchem)