

Analysis Method: 9034
 Parameter: Sulfide
 Run Number: LB115132

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP90938
IODINE SOLUTION .025N 1L	W2763
Starch Solution, 4L	W2703

Seq	Lab ID	True Value (mg/L)	DF	Initial Weight (g)	Final Volume (mL)	T1 (mL)	T2 Initial	T2 Final	T2 Diff. (mL)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	AnalDate	Anal Time
1	PB137352BL		1	5.00	50	5.00	0.00	4.92	4.92	0.08	0.00	0.00	06/28/2021	16:50
2	PB137352BS	250	1	5.00	50	5.00	0.00	2.25	2.25	2.75	2.67	213.60	06/28/2021	16:52
3	M2835-01		1	5.02	50	5.00	0.00	4.80	4.80	0.20	0.12	9.56	06/28/2021	16:55
4	M2835-01DUP		1	5.04	50	5.00	4.80	9.62	4.82	0.18	0.10	7.94	06/28/2021	16:58
5	M2835-01MS	250	1	5.05	50	5.00	0.00	3.10	3.10	1.90	1.82	144.16	06/28/2021	17:02
6	M2835-01MSD	250	1	5.05	50	5.00	3.10	6.22	3.12	1.88	1.80	142.57	06/28/2021	17:05

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume