



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB115159

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M2894-02	PAT-TP	1	100.03	0.00	06/30/2021	10:35
2	M2894-02DUP	PAT-TPDUP	1	100.05	0.00	06/30/2021	10:42

WORKLIST(Hardcopy Internal Chain)

LB 115759

WorkList Name : pf63021 WorkList ID : 150229 Department : Wet-Chemistry Date : 06-30-2021 09:52:54

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
06/29/2021	Solid	M2894-02	C Paint Filter	Cool 4 deg C	PSEG03	J33	PAT-TP	06/29/2021	9095B

Date/Time 06/30/21 10:25
 Raw Sample Received by: KS (Welch)
 Raw Sample Relinquished by: RC (Ext GB)

Date/Time 06/30/21 10:45
 Raw Sample Received by: RC (Ext GB)
 Raw Sample Relinquished by: KS (Welch)