



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 7/23/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:05
In Date: 07/22/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:07
Out Date: 07/23/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115478

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3125-01	BG2N8	1	1.12	9.8	8.62	86.4	
M3125-02	BG2N9	2	1.13	9.71	8.34	84.0	
M3125-03	BG2P0	3	1.15	9.94	9.24	92.0	
M3125-04	BG2P1	4	1.16	9.82	9.22	93.1	
M3125-05	BG2R6	5	1.16	9.95	8.39	82.3	
M3125-06	BG2R7	6	1.13	9.71	8.46	85.4	
M3125-07	BG2R8	7	1.13	9.96	9.35	93.1	
M3125-08	BG2R9	8	1.13	9.68	9.12	93.5	
M3125-09	BG2S0	9	1.13	9.54	7.67	77.8	
M3125-10	BG2S1	10	1.12	9.52	8.23	84.6	
M3125-11	BG2S2	11	1.12	9.73	9.05	92.1	
M3125-12	BG2S3	12	1.16	9.74	9.1	92.5	
M3125-13	BG2S4	13	1.13	9.57	8.37	85.8	
M3125-14	BG2S5	14	1.14	9.98	8.82	86.9	
M3125-15	BG2S6	15	1.15	9.68	9.08	93.0	
M3125-16	BG2S6D	16	1.15	9.68	9.08	93.0	
M3125-17	BG2S6S	17	1.15	9.68	9.08	93.0	
M3125-18	BG2S7	18	1.18	9.69	9.28	95.2	
M3125-19	BG2S8	19	1.18	9.64	7.64	76.4	
M3125-20	BG2S9	20	1.13	9.97	8.42	82.5	
M3125-21	BG2T0	21	1.15	9.95	9.06	89.9	
M3125-22	BG2T1	22	1.19	9.65	9.12	93.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$