



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 7/23/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:20
In Date: 07/22/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 07/23/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115481

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3126-01	BG2T2	1	1.14	9.71	8.4	84.7	
M3126-02	BG2T3	2	1.16	9.79	8.91	89.8	
M3126-03	BG2T4	3	1.14	9.76	9.09	92.2	
M3126-04	BG2X5	4	1.16	9.55	9.02	93.7	
M3126-06	BG2M6	5	1.16	9.67	8.12	81.8	
M3126-07	BG2M7	6	1.14	9.78	8.3	82.9	
M3126-08	BG2M8	7	1.12	9.62	8.73	89.5	
M3126-09	BG2M9	8	1.18	9.88	8.7	86.4	
M3126-10	BG2M9D	9	1.18	9.88	8.7	86.4	
M3126-11	BG2M9S	10	1.18	9.88	8.7	86.4	
M3126-12	BG2N0	11	1.15	9.98	9.26	91.8	
M3126-13	BG2N1	12	1.19	9.74	8.7	87.8	
M3126-14	BG2N2	13	1.1	9.61	8.69	89.2	
M3126-15	BG2N3	14	1.16	9.74	8.35	83.8	
M3126-16	BG2N4	15	1.13	9.57	8.54	87.8	
M3126-17	BG2N5	16	1.19	9.83	9.2	92.7	
M3126-18	BG2N6	17	1.16	9.6	9.16	94.8	
M3126-19	BG2N7	18	1.12	9.61	8.68	89.0	
M3126-20	BG2P2	19	1.15	9.95	8.43	82.7	
M3126-21	BG2P3	20	1.13	9.52	8.62	89.3	
M3126-22	BG2P4	21	1.17	9.98	8.68	85.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$