



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 7/26/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 07/23/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:26
Out Date: 07/24/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115494

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3148-01	SI-2-EXCA-SOIL	1	1.15	9.67	8.99	92.0	
M3148-02	SI-2-EXCA-SOIL	2	1.16	9.96	9.18	91.1	
M3148-04	SI-2-CLEAN-SOIL	3	1.12	9.91	9.6	96.5	
M3151-01	COMP-1	4	1.16	9.84	8.55	85.1	
M3151-02	COMP-2	5	1.16	9.87	8.5	84.3	
M3151-03	COMP-3	6	1.17	9.68	8.31	83.9	
M3156-06	SS-6- (2.0-2.5)	7	1.16	9.78	8.8	88.6	
M3156-07	SS-7- (2.0-2.5)	8	1.14	9.94	8.87	87.8	
M3156-08	SS-8- (2.0-2.5)	9	1.15	9.98	8.64	84.8	
M3156-09	SS-9- (2.0-2.5)	10	1.14	9.93	8.82	87.4	
M3156-10	SS-10- (2.0-2.5)	11	1.13	9.9	8.74	86.8	
M3156-10D	SS-10- (2.0-2.5) DUP	12	1.16	9.93	8.76	86.7	
M3158-01	WASTE	13	1.15	9.97	8.16	79.5	
M3159-01	20210729-34	14	1.12	8.83	6.43	68.9	sediment sample
M3159-02	20210730-42	15	1.13	7.36	4.06	47.0	sediment sample
M3159-03	20210731-58	16	1.14	4.52	2.71	46.4	sediment sample
M3159-04	20210732-63	17	1.16	5.81	3.08	41.3	sediment sample
M3159-05	20210733-70	18	1.14	3.66	2.06	36.5	sediment sample
M3159-06	20210430-16	19	1.15	9.92	5.18	46.0	sediment sample
M3159-07	20210442-28	20	1.13	9.85	5.12	45.8	sediment sample
M3159-08	20210453-39	21	1.13	9.57	5.23	48.6	sediment sample
M3159-09	20210467-53	22	1.14	9.94	4.77	41.3	sediment sample
M3159-10	20210469-55	23	1.16	9.9	4.54	38.7	sediment sample
M3159-11	20210535-COM-8	24	1.19	9.97	5.21	45.8	sediment sample
M3159-12	20210539-COM-12	25	1.14	9.96	5.34	47.6	sediment sample
M3159-13	20210545-COM-18	26	1.14	9.61	4.85	43.8	sediment sample
M3159-14	20210554-COM-27	27	1.1	9.61	4.52	40.2	sediment sample
M3159-15	20210556-COM-29	28	1.15	9.96	4.9	42.6	sediment sample



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 7/26/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 07/23/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:26
Out Date: 07/24/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115494

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3160-05	SVOC-GPC-BLANK	29	1.00	2.00	2.00	100.0	
M3160-06	PEST-GPC-BLANK	30	1.00	2.00	2.00	100.0	
M3160-07	PEST-GPC-BLANK-SPIKE	31	1.00	2.00	2.00	100.0	
M3160-08	PCB-GPC-BLANK	32	1.00	2.00	2.00	100.0	
M3160-09	PCB-GPC-BLANK-SPIKE	33	1.00	2.00	2.00	100.0	
M3160-10	SVOC-GPC2-BLANK	34	1.00	2.00	2.00	100.0	
M3160-11	PEST-GPC2-BLANK	35	1.00	2.00	2.00	100.0	
M3160-12	PEST-GPC2-BLANK-SPIKE	36	1.00	2.00	2.00	100.0	
M3160-13	PCB-GCP2-BLANK	37	1.00	2.00	2.00	100.0	
M3160-14	PCB-GCP2-BLANK-SPIKE	38	1.00	2.00	2.00	100.0	
M3165-01	COMP-1	40	1.13	9.92	8.81	87.4	
M3165-02	COMP-2	41	1.12	9.82	8.69	87.0	
M3165-03	COMP-3	42	1.14	9.88	9.44	95.0	
M3167-01	TOP-SOIL-PILE-WHOLE	39	1.13	9.96	8.95	88.6	
M3170-01	SU-02-072321	43	1.14	9.86	9.62	97.2	
M3170-02	SU-02-072321-EPH-2	44	1.19	9.8	9.55	97.1	
M3171-01	FK-PS-01-078	45	1.15	9.58	8.08	82.2	
M3171-02	FK-PS-01-078	46	1.11	9.6	8.22	83.7	
M3174-01	FK-EF-01-021-ABCD	47	1.18	9.58	8.92	92.1	
M3174-02	FK-EF-01-021-ABCD	48	1.15	9.96	9.37	93.3	
M3175-01	FK-BPM-03-025-ABCD	49	1.19	9.56	9.15	95.1	
M3175-02	FK-BPM-03-025-ABCD	50	1.11	9.77	9.38	95.5	
M3176-01	18-B7-TP-(9.5-12)	51	1.17	9.84	8.54	85.0	
M3178-01	WASTE	52	1.15	9.95	9.41	93.9	
M3178-02	VOC	53	1.15	9.66	8.96	91.8	
M3178-03	1	54	1.16	9.77	8.96	90.6	
M3178-04	2	55	1.13	9.78	9.09	92.0	
M3178-05	3	56	1.15	9.86	9.1	91.3	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 7/26/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 07/23/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:26
Out Date: 07/24/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115494

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3178-06	4	57	1.16	9.97	9.52	94.9	
M3178-07	5	58	1.13	9.53	8.84	91.8	
M3178-07D	5DUP	59	1.15	9.55	8.86	91.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$