



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 8/12/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 13:50
In Date: 07/27/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 07/28/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115550

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
M3185-01	GB5N8	1	1.14	9.78	9.41	95.7	
M3185-02	GB5N9	2	1.13	9.5	9.34	98.1	
M3185-03	GB5P0	3	1.16	9.82	9.55	96.9	
M3185-04	GB5P1	4	1.15	9.94	9.72	97.5	
M3185-05	GB5P2	5	1.11	9.67	9.28	95.4	
M3185-06	GB5P3	6	1.13	9.57	9.48	98.9	
M3185-07	GB5P4	7	1.18	9.61	9.25	95.7	
M3185-08	GB5P5	8	1.17	9.8	9.53	96.9	
M3185-09	GB5P6	9	1.19	9.83	9.48	95.9	
M3185-10	GB5P6D	10	1.19	9.83	9.48	95.9	
M3185-11	GB5P6S	11	1.19	9.83	9.48	95.9	
M3185-12	GB5P7	12	1.15	9.93	9.56	95.8	
M3185-13	GB5P8	13	1.15	9.75	9.49	97.0	
M3185-14	GB5P9	14	1.14	9.71	9.43	96.7	
M3185-15	GB5Q0	15	1.13	9.9	9.76	98.4	
M3185-16	GB5Q1	16	1.13	9.84	9.66	97.9	
M3185-17	GB5Q2	17	1.16	9.73	9.61	98.6	
M3185-18	GB5Q3	18	1.16	9.92	9.82	98.9	
M3185-19	GB5Q4	19	1.13	9.76	9.52	97.2	
M3185-20	GB5Q5	20	1.13	9.91	9.49	95.2	
M3185-21	GB5Q6	21	1.18	9.51	9.12	95.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$