



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 7/30/2021

OVENTEMP IN Celsius(°C): 107
Time IN: 14:10
In Date: 07/29/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:18
Out Date: 07/30/2021
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB115600

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
M3213-01	MH0AC5	1	1.14	9.74	8.62	87.0	
M3213-02	MH0AC6	2	1.16	9.88	9.21	92.3	
M3213-03	MH0AC8	3	1.12	9.84	8.9	89.2	
M3213-04	MH0AD2	4	1.11	9.58	9.12	94.6	
M3213-05	MH0AD3	5	1.16	9.76	9.15	92.9	
M3213-06	MH0AD4	6	1.13	9.54	9.00	93.6	
M3213-07	MH0AD5	7	1.16	9.88	9.44	95.0	
M3213-08	MH0AD6	8	1.15	9.75	9.18	93.4	
M3213-09	MH0AD7	9	1.18	9.9	9.44	94.7	
M3213-10	MH0AD8	10	1.16	9.58	9.15	94.9	
M3213-11	MH0AD9	11	1.15	9.89	9.44	94.9	
M3213-12	MH0AE0	12	1.14	9.62	9.28	96.0	
M3213-13	MH0AE1	13	1.13	9.69	9.1	93.1	
M3213-14	MH0AE2	14	1.16	9.56	9.28	96.7	
M3213-15	MH0AE3	15	1.18	9.66	9.4	96.9	
M3213-16	MH0AE4	16	1.16	9.97	9.48	94.4	
M3213-17	MH0AE5	17	1.12	9.57	9.28	96.6	
M3213-18	MH0AE6	18	1.11	9.54	9.22	96.2	
M3213-19	MH0AE7	19	1.16	9.88	9.44	95.0	
M3213-20	MH0AE7D	20	1.16	9.88	9.44	95.0	
M3213-21	MH0AE7S	21	1.16	9.88	9.44	95.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$