



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB115611

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	M3198-01	TP-7	1	100.03	0.00	07/29/2021	13:45
2	M3198-01DUP	TP-7DUP	1	100.02	0.00	07/29/2021	13:52
3	M3198-05	TP-8	1	100.03	0.00	07/29/2021	14:00
4	M3202-01	CL-02-072721	1	100.04	0.00	07/29/2021	14:10
5	M3204-01	EO-01-072721	1	100.05	0.00	07/29/2021	14:18
6	M3204-03	EO-03-072721	1	100.06	0.00	07/29/2021	14:25
7	M3205-02	VNJ-209	1	100.01	0.00	07/29/2021	14:32
8	M3205-04	VNJ-211	1	100.03	0.00	07/29/2021	14:40
9	M3217-02	280	1	100.04	0.00	07/29/2021	14:48
10	M3219-01	TR-05-072821	1	100.02	0.00	07/29/2021	14:55
11	M3222-01	MH-458-COMP	1	100.05	0.00	07/29/2021	15:05
12	M3230-01	ETGI-357	1	100.01	0.00	07/29/2021	15:15
13	M3234-01	OR-03-072921	1	100.02	0.00	07/29/2021	15:22
14	M3235-01	MH-457-COMP	1	100.03	0.00	07/29/2021	15:30
15	M3235-03	MH-462-COMP	1	100.03	0.00	07/29/2021	15:38

LB115611

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF72921 WorkList ID : 151021 Department : Wet-Chemistry Date : 07-29-2021 13:30:20

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
07/26/2021	Solid	M3198-01	Paint Filter	Cool 4 deg C	PSEG03	L61	TP-7	07/26/2021	9095B
07/27/2021	Solid	M3198-05	Paint Filter	Cool 4 deg C	PSEG03		TP-8	07/27/2021	9095B
07/27/2021	Solid	M3202-01	Paint Filter	Cool 4 deg C	PSEG05	L62	CL-02-072721	07/27/2021	9095B
07/27/2021	Solid	M3204-01	Paint Filter	Cool 4 deg C	PSEG05	L62	EO-01-072721	07/27/2021	9095B
07/27/2021	Solid	M3204-03	Paint Filter	Cool 4 deg C	PSEG05	L62	EO-03-072721	07/27/2021	9095B
07/27/2021	Solid	M3205-02	Paint Filter	Cool 4 deg C	PSEG03	L62	VNJ-209	07/27/2021	9095B
07/27/2021	Solid	M3205-04	Paint Filter	Cool 4 deg C	PSEG03	L62	VNJ-211	07/27/2021	9095B
07/28/2021	Solid	M3217-02	Paint Filter	Cool 4 deg C	PSEG03	D11	280	07/28/2021	9095B
07/28/2021	Solid	M3219-01	Paint Filter	Cool 4 deg C	PSEG05	D11	TR-05-072821	07/28/2021	9095B
07/27/2021	Solid	M3222-01	Paint Filter	Cool 4 deg C	PSEG03	D11	MH-458-COMP	07/27/2021	9095B
07/29/2021	Solid	M3230-01	Paint Filter	Cool 4 deg C	PSEG03	D12	ETGI-357	07/29/2021	9095B
07/29/2021	Solid	M3234-01	Paint Filter	Cool 4 deg C	PSEG05	D12	OR-03-072921	07/29/2021	9095B
07/28/2021	Solid	M3235-01	Paint Filter	Cool 4 deg C	PSEG03	D12	MH-457-COMP	07/28/2021	9095B
07/28/2021	Solid	M3235-03	Paint Filter	Cool 4 deg C	PSEG03	D12	MH-462-COMP	07/28/2021	9095B

Date/Time 07/29/21 13:35
Raw Sample Received by: KS (WC)
Raw Sample Relinquished by: RE Cmetaj (95)

Date/Time 07/29/21 15:45
Raw Sample Received by: RE Cmetaj (95)
Raw Sample Relinquished by: KS (WC)